

Rustler VXL (Model 37076-4) Parts List

	Bearings & Bushings	3678	Wheelie bar, assembled (black) (fits Slash, Stampede, Rustler, Bandit series)
4607	Ball bearings (5x11x4mm) (8)	3678X	Wheelie bar, assembled (blue) (fits Slash, Stampede, Rustler,
2728 5116	Ball bearings (5x8x2.5mm) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2)	3678A	Bandit series) Wheelie bar, assembled (green) (fits Stampede, Rustler, Bandit
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)	3010A	series)
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)	3678P	Wheelie bar, assembled (pink) (fits Stampede, Rustler, Bandit
3934 1675	Body clips, heavy duty (12) Bushings, self-lubricating (5x11x4mm) (14)	4976	series) Wheels (4)/ axles (2), for Maxx® wheelie bar
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)	5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/
	Body & Accessories	5186	axles (2)/ rubber tires (2)
1926	Antenna caps, vinyl (2)/ antenna spool	3100	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
1726 1834	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Body clips (12) (standard size)		Differential Components
1914R	Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware	2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede, Rustler)
3614	Body mounts (front & rear)	2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment
1815	Body washers (8)	2388X	shaft (1) all hardened steel
6716 3714	Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4) Body, Rustler (clear, requires painting)/window, lights decal	23007	Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede, Rustler)
07 14	sheet/ wing and aluminum hardware	5169	Screws, 2.6x8mm countersunk machine (6)
3715	Body, Rustler VXL, ProGraphix (replacement for the painted	1647	Silicone grease
	body. Graphics are printed, requires paint & final color application)/window, lights decal sheet/ wing and aluminum	4655-	Driveline Components
	hardware	4628R	Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2)
3719	Body, Rustler VXL, ProGraphix® (replacement for the painted body. Graphics are printed, requires paint & final color	4628X	Differential output yokes, hardened steel (w/ U-joints) (2)
	application)/decal sheet/ wing and aluminum hardware	6828X	Differential output yokes, heavy duty (2)/ screw pin (2)
3615	Body, Stampede VXL, ProGraphix (replacement for the painted	1951R	Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2) (fits 2WD Rustler/Stampede)
	body. Graphics are printed, requires paint & final color application)/ window, grill, lights decal sheet	1953	Half shaft pro-pack (internal-splined (6)/ external-splined (6)
3617R	Body, Stampede VXL, ProGraphix (replacement for the painted		(plastic shafts only)
	body. Graphics are printed, requires paint & final color	6752	Half shaft, external splined (steel-spline constant-velocity) (1) (fits 2WD Rustler/Stampede)
2514	application)/ window, grill, lights decal sheet Decal sheet, racing sponsors	6751	Half shaft, internal splined (steel-spline constant-velocity) (1)
3713R	Decal sheets, Rustler VXL	6850X	Half shafts, heavy duty (external splined (2)/ internal splined (2))/
5185	Tires, rubber (2) (fits Traxxas wheelie bar wheels)	1951	metal u-joints (4) Half shafts, long truck (external-splined (2) & internal-splined (2)/
4974 3677A	Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4) Wheelie bar mount (1) / hardware (green)	1931	metal U-joints (4)
3677P	Wheelie bar mount (1) / hardware (girech)	6757	Rebuild kit, steel-splined constant-velocity driveshafts (includes
3677	Wheelie bar mount (1)/ hardware (black)	3752	pins, dustboots, lube, and hardware) Stub axle carriers (2) (requires 5x11x4mm bearings)
3677X 3678	Wheelie bar mount (1)/ hardware (blue) Wheelie bar, assembled (black) (fits Slash, Stampede, Rustler, Bandit series)	3652A	Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3678X	Wheelie bar, assembled (blue) (fits Slash, Stampede, Rustler, Bandit series)	3652G	Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
3678A	Wheelie bar, assembled (green) (fits Stampede, Rustler, Bandit series)	3652P	Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3678P	Wheelie bar, assembled (pink) (fits Stampede, Rustler, Bandit series)	3652X 2754	Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axle pins (4)
4976 5186A	Wheels (4)/ axles (2), for Maxx® wheelie bar Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/	6753	Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft)
OTOUR	axles (2)/ rubber tires (2)	07501/	(1) Stub cyles rest (2)
5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/	2753X 6853X	Stub axles, rear (2) Stub axles, rear, heavy duty (2)/pins (2)
	axles (2)/ rubber tires (2) Chaccie o Attochmente		Front Suspension & Steering
272EV	Chassis & Attachments Battery expansion kit (allows for installation of taller multi-cell	3637	Axles (front) (2)
3725X	battery expansion kit (allows for installation of tailer multi-cell battery packs)	2728	Ball bearings (5x8x2.5mm) (2)
3727	Battery hold-down plate (black)/ metal posts (2)/body clips (2)	2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)
3727A	Battery hold-down plate (grey) / metal posts (2) / body clips (2)	2530 2530A	Bulkhead (front) (black) Bulkhead (front) (grey)
3628 2735	Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper (front)	3632	Caster blocks (I&r) (30-degree)
2735P	Bumper (front) (pink)	3632A	Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left
3722	Lower chassis (black)	3632G	& right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (lef
3722A 3725	Lower chassis (grey) Mounting plate, speed control (VXL-3s) (Bandit Rustler, Stampede)	JUJ2G	& right)/ suspension screw pin (2)
3725 3629	Mounting plate, speed control (VXL-3s) (Bandit, Rustler, Stampede) Seal kit, receiver box (includes o-ring, seals, and silicone grease)	3632P	Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left
5185	Tires, rubber (2) (fits Traxxas wheelie bar wheels)	3632X	& right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left &
3723	Upper chassis (black)	3032A	right)/ suspension screw pin (2)
3723A	Upper chassis (grey) Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)	5525R	Rod ends, heavy duty (Jato/Slayer) (8)
4974		5347	Rod ends, Revo (large) with hollow balls (12)
	Wheelie bar mount (1) / hardware (green)		
3677A 3677P	Wheelie bar mount (1) / hardware (green) Wheelie bar mount (1) / hardware (pink)	3646	Screws, 3x15mm flat-head machine (hex drive) (6)
4974 3677A 3677P 3677 3677X	Wheelie bar mount (1) / hardware (green)		

Page 2	Rustler VXL: TQi Traxxas Link Enabled 2.4GHz Ra	dio & TS	M (Model 37076-4) Parts List
3636A	Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)	3351R	Motor, Velineon 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)
3636G	Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)	3725 3352R	Mounting plate, speed control (VXL-3s) (Bandit, Rustler, Stampede) Rebuild kit, Velineon 3500 (includes plastic endbell, 5x11x4mm ball
3636P	Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)	3347	bearings (2), 2.5x5mm BCS (with threadlock) (4), rear bushing) Screws, 2.5x5mm button-head machine (hex drive) (6)
3636X	Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)	3931 2254	Screws, 3x8mm flat-head machine (hex drive) (6)
3631	Suspension arms (front) (2)	2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
2640	Suspension pins, 44mm (2) w/ e-clips	2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for
3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a		2250, 2255 servos)
2537	complete suspension pin set) (Rustler, Stampede, Bandit) Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw	2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2532	Tie bar, fiberglass	2075 2250	Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing),
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front,	2250	waterproof
	39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench	2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (fits Rustler) (requires 5mm aluminum wrench #5477)	3350R	Velineon VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725))
3741X	Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow	3355R	Velineon VXL-3s Electronic Speed Control, waterproof (brushless)
	balls)/wrench	3343	(fwd/rev/brake) Wire, 12-gauge, silicone (Maxx® Cable) (650mm or 26 inches)
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2)	0010	Radio System, Batteries & Chargers
	(assembled with rod ends & hollow balls) (requires 5mm	0054V	
3644	aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled	2854X 2849X	10000mAh 7.4v 2-Cell 25C LiPo Battery 4000mAh 11.1v 3-Cell 25C LiPo Battery
0044	with rod ends and hollow balls) (1 left, 1 right)	2842X	5000mAh 7.4v 2-Cell 25C LiPo Battery
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled	2843X	5800mAh 7.4v 2-Cell 25C LiPo Battery
	with rod ends and hollow balls)	2857X	6400mAh 11.1v 3-Cell 25C LiPo Battery
	Hardware	2976	AC to DC converter, 40W
1926	Antenna caps, vinyl (2)/ antenna spool	2938X	Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	2943	separate balance ports) Battery charge indicators (green (4), blue (4), grey (4))
1834	Body clips (12) (standard size)	6546	Battery door, TQi transmitter (replacement for #6528, 6529, 6530
3934 1589	Body clips, heavy duty (12) Double-sided adhesive tape (25mm x 25mm) (2)		transmitters)
1633	E-clips/ C-rings	2914	Battery, Power Cell AA Alkaline (4)
2586	Screws, 3x15mm cap-head machine (hex drive) (6)	2922X 2926X	Battery, Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V) Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)
2745	Nuts, 3mm nylon locking (12)	2942X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)	2941X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)
1747 1985	Nuts, 4mm nylon locking (10) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)	2952X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V)
5525	Rod ends (12)/ hollow balls (12)	2951X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)
5347	Rod ends, Revo (large) with hollow balls (12)	2961X 2963X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 8-C hump, 9.6V)
2742X	Rod ends, short (6)/ hollow balls (6)	2984	Battery/charger completer pack (includes #2969 2-amp NiMH
3347	Screws, 2.5x5mm button-head machine (hex drive) (6)		peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH
3215 2577	Screws, 2.5x6mm cap-head machine (hex drive) (6) Screws, 3x10mm button-head machine (hex drive) (6)		battery (1))
4859	Screws, 3x10mm flat-head machine (hex drive) (4)	2992	Battery/charger completer pack (includes #2970 iD charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))
2578	Screws, 3x12mm button-head machine (hex drive) (6)	2994	Battery/charger completer pack (includes #2970 iD charger (1),
2552	Screws, 3x12mm countersunk machine (6) (hex drive)		#2849X 4000mAh 11.1v 3-Cell 25C LiPo Battery (1))
2579	Screws, 3x15mm button-head machine (hex drive) (6)	2260	BEC assembly (complete)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)	2975	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2583 2580	Screws, 3x18mm button-head machine (hex drive) (6) Screws, 3x20mm button-head machine (hex drive) (6)	2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
2591	Screws, 3x23mm button-head machine (hex drive) (6)	2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto
2582	Screws, 3x30mm button-head machine (hex drive) (6)		Battery Identification
2592	Screws, 3x40mm button-head machine (hex drive) (6)	2971	Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery
2575	Screws, 3x6mm button-head machine (hex drive) (6)	2970	Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery
3932 2576	Screws, 3x6mm flat-head machine (hex drive) (6) Screws, 3x8mm button-head machine (hex drive) (6)	20.0	Identification
3931	Screws, 3x8mm flat-head machine (hex drive) (6)	6525	Communication link, telemetry expander
3937	Screws, 4x12mm button-head machine (hex drive) (6)	6512	Cover plate, Traxxas Link Wireless Module
2542	Screws, 4x12mm countersunk machine (hex drive) (6)	2978 2072A	Fuse, charger, 5A (2) (for #2974, 2975, 2977)
2546	Screws, 4x15mm countersunk machine (hex drive) (6)	2072A 2252	Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos)
2743 5529	Set (grub) screws, 3mm hardened (12) Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,	2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for
	captured (4)		Traxxas iD batteries)
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)	2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas iD batteries)
2754 2746	Stub axle pins (4) Washers, 3x6mm metal (12)	6554	Mount, telemetry expander (fits Rustler, Bandit, Slash 2WD)
3685	White plastic washers (5x8x1.0mm) (6)	6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal
	Motors & Electronics	CEOO.	pad Descriper micro TO: 2.4CLIz with telemetry 8 TSM /F shannel\
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	6533 6552	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone
2260	BEC assembly (complete)	0002	grease)
3342	Bullet connectors, male, 3.5mm (3)/ heat shrink	6526	Sensor, auto-detectable, temperature
3340	Cooling fan, Velineon VXL-3s ESC	6527	Sensor, auto-detectable, voltage
3790	Gear adapter, fixed	6520	Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1)
2072A 2252	Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos)	6521 2254	Sensor, temperature and voltage (long) Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
3354R	Motor cover, endbell (Velineon 3500)	2253	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
•	, ,		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,

Page 3	Rustler VXL: TQi Traxxas Link Enabled 2.4GHz Ra	dio & TS	M (Model 37076-4) Parts List
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)	2660	Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)	2662	Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6
2075	Servo, digital high-torque (ball bearing), waterproof		aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof	2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof	2362 1942	Rebuild kit, Ultra shocks (for 2 shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
6553X	Telemetry expander 2.0 and GPS module 2.0, TQi radio system		(2)
6550X	Telemetry expander 2.0, TQi radio system (compatible only with	2742X	Rod ends, short (6)/ hollow balls (6)
GEE0	#6551X GPS module)	2667	Shock caps, aluminum (2)/ (Big Bore Shocks)
6550 6551X	Telemetry expander, TQi radio system Telemetry GPS module 2.0, TQi radio system (compatible only	1664T 2656T	Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long)
	with #6550X telemetry expander)	4004	(2)
6551	Telemetry GPS module, TQi radio system	1664	Shock shafts, steel, chrome finish (long) (2)
6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/	2656	Shock shafts, steel, chrome finish (xx-long) (2)
6540	3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1)	1765 1666	Silicone diaphragms (4)
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link	2668	Silicone shock oil (30 wt)
030310	enabled, TSM (2-ch transmitter, 5-ch micro receiver)	2000	Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas		Shocks)
	Link Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)	5860	Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)
6528	Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 2-channel (transmitter only)	5859	Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)
6529	Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 3-		Shocks (Ultra Shocks)
0500	channel (transmitter only)	3642	Attachment screws, shock (3x12mm shoulder screws) (6)
6530	Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-	3765A	Body, Ultra Shock(s) (long) (grey) (2)
6511	channel (transmitter only) Traxxas Link Wireless Module	3766A	Body, Ultra Shock(s) (IOHg) (grey) (2)
3355R	Velineon VXL-3s Electronic Speed Control, waterproof (brushless)	2362	Rebuild kit, Ultra shocks (for 2 shocks)
33331	(fwd/rev/brake)	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
6537	Wire retainers, gear cover/ 3x4mm BCS (2)		(2)
	Ready-To-Race Model	2742X	Rod ends, short (6)/ hollow balls (6)
37076-4	Rustler VXL: 1/10 Scale Stadium Truck with TQi Traxxas Link	3767	Shock caps (2)/ shock bottoms (2)
37070-4	Enabled 2.4GHz Radio System & Traxxas Stability Management	8361	Shock caps (black) (4) (assembled with hollow balls)
	(TSM)	3767A 3767G	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
	Rear Suspension	3/6/6	Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
3638	Shock tower (rear)	3767P	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
3752	Stub axle carriers (2) (requires 5x11x4mm bearings)	3767X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
3652A	Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6	1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
	aluminum (blue-anodized)/ 5x11mm ball bearings (4)	2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long)
3652G	Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6	1664	(2) Shock shafts, steel, chrome finish (long) (2)
2652D	aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6	2656	Shock shafts, steel, chrome finish (xx-long) (2)
3652P	aluminum (pink-anodized)/ 5x11mm ball bearings (4)	1765	Silicone diaphragms (4)
3652X	Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6	1666	Silicone shock oil (30 wt)
	aluminum (red-anodized)/ 5x11mm ball bearings (4)	3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
2753X	Stub axles, rear (2)	3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole
3655X	Suspension arms, left & right		(2))
3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a	2458 2458P	Springs, front (black) (2)
3741A	complete suspension pin set) (Rustler, Stampede, Bandit) Turnbuckles, aluminum (blue-anodized), camber links, front,	2458A	Springs, front (pink) (2) Springs, front (white) (2)
3/4IA	39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/	3757	Springs, rear (black) (2)
	wrench	3757T	Springs, rear (blue) (2)
3741X	Turnbuckles, aluminum (red-anodized), camber links, front,	3757A	Springs, rear (green) (2)
	39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow	3757P	Springs, rear (pink) (2)
2042	balls)/wrench	3757R	Springs, rear (red) (2.9 rate) (2)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)	3757X	Springs, rear (white) (2)
	Shocks (Aluminum)	4957 3760	Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)
1005		3/60	Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
1965	Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2)	3762	Ultra Shocks (black) (xx-long) (complete w/ spring pre-load
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws		spacers & springs) (rear) (2)
	(2)	3760A	Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
2742X	Rod ends, short (6)/ hollow balls (6) Shock cans, aluminum (2)	3762A	Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers &
2760 1664T	Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2)		springs) (rear) (2)
2765T	Shock shafts, hardened steel, titanium nitride coated (long) (2)		Slipper Clutch Components
1664	Shock shafts, steel, chrome finish (long) (2)	3793	Input shaft (slipper shaft) / spring pin
2765	Shock shafts, steel, chrome finish (X-long) (2)	5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/
4760	Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o		4.0mm NL (1)/ 5.0mm NL (1))
	springs (front) (2)	2554	Screws, 3x6mm cap-head machine (hex drive) (6)
4761	Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o	5556	Slipper pressure plate & hub (aluminum alloy)
1666	springs (rear) (2) Silicone shock oil (30 wt)		Spur Gears & Pinion Gears
1000		3790	Gear adapter, fixed
	Shocks (Pro-level Aluminum)	2416	Gear, 16-T pinion (48-pitch) / set screw
2664	Big Bore shock cylinder (long) (1)	1918	Gear, 18-T pinion (48-pitch) / set screw
2666 5862	Big Bore shock cylinder (XX-long) (1) Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum)	2419	Gear, 19-T pinion (48-pitch) / set screw
3002	(assembled with TiN shafts and springs) (front & rear) (4)	2423	Gear, 23-T pinion (48-pitch) / set screw
	(T)		

Page 4	Rustler VXL: TQi Traxxas Link Enabled 2.4GHz Radio & TSM (Model 37076-4) Parts List
. ugc -	Rustier TAEL Tel Truxxus Ellik Ellubleu El-Forte Ruulo & Tolk (Model 67676 4) Turts Elst

			•
2426	Gear, 26-T pinion (48-pitch)/set screw		Tires & Wheels
2431	Gear, 31-T pinion (48-pitch) / set screw	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
4725	Gear, pinion (25-tooth) (48-pitch) / set screw	5114	Ball bearings, blue rubber sealed (5x1x4mm) (2) Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
1 728	Gear, pinion (28-tooth) (48-pitch)/ set screw	5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856)
4676	Spur gear, 76-tooth (48-pitch) (for models with Torque-Control slipper clutch)	3647	#6469)
1683	Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch)	1985	Nuts, 4mm flanged nylon locking (steel, serrated) (8) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
686	Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)	1647 2754	Silicone grease Stub axle pins (4)
690	Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)	3770A	Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Alias tires, foam inserts) (rear) (2) (TSM rated)
	Steering Components	3776	Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (rear) (2) (TSM rated)
728	Ball bearings (5x8x2.5mm) (2)	3770	Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)		Alias tires, foam inserts) (2WD electric rear) (2)
5347	Rod ends, Revo (large) with hollow balls (12)	6774X	Tires & wheels, assembled, glued (2.8") (RXT black chrome
3744 3743	Servo saver w/adapters		wheels, Talon Extreme tires, foam inserts) (2WD electric rear) (2 (TSM rated)
743 8 743A	Steering bellcranks (l&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/	6774	Tires & wheels, assembled, glued (2.8") (RXT black wheels,
3743P	5x8mm ball bearings (4)/ hardware (assembled)	•	Talon Extreme tires, foam inserts) (2WD electric rear) (2) (TSM rated)
0/43P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)	6774G	Tires & wheels, assembled, glued (2.8") (RXT green wheels,
3743X	Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/		Talon Extreme tires, foam inserts) (2WD electric rear) (2) (TSM rated)
8845X	5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks/ servo saver/ servo saver spring/ servo	6774A	Tires & wheels, assembled, glued (2.8") (RXT orange wheels,
2537	spring retainer/servo horn, steering Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw		Talon Extreme tires, foam inserts) (2WD electric rear) (2) (TSM rated)
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2)	6774R	Tires & wheels, assembled, glued (2.8") (RXT satin chrome
7100A	(assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)		wheels, Talon Extreme tires, foam inserts) (2WD electric rear) (2 (TSM rated)
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2)	3771A	Tires & wheels, assembled, glued (2.8")(All-Star black chrome
7100%	(assembled with rod ends & hollow balls) (requires 5mm	3771	wheels, Ribbed tires, foam inserts) (electric front) (2) Tires & wheels, assembled, glued (2.8")(All-Star chrome wheels
745	aluminum wrench #5477)	3//1	Ribbed tires, foam inserts) (electric front) (2)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)	3773A	Tires & wheels, assembled, glued (All Star black chrome wheels,
			Anaconda tires, foam inserts) (2WD electric rear) (1 left, 1 right)
	Suspension Linkage	3773	Tires & wheels, assembled, glued (All Star chrome wheels,
5525	Rod ends (12)/ hollow balls (12)		Anaconda tires, foam inserts) (2WD electric rear) (1 left, 1 right)
525R	Rod ends, heavy duty (Jato/Slayer) (8)	3776A	Tires & wheels, assembled, glued (All-Star black chrome wheels
5347	Rod ends, Revo (large) with hollow balls (12)		Anaconda tires, foam inserts) (nitro rear/ electric front) (1 left, 1
3739	Screw pin set (Rustler/ Bandit/ Stampede)	5576R	right) Tires & wheels, assembled, glued (All-Star chrome wheels,
3744	Servo saver w/adapters	337 OK	Anaconda tires, foam inserts) (nitro rear/ electric front) (1 left, 1
2640 3640	Suspension pins, 44mm (2) w/ e-clips Suspension screw pin set, steel (hex drive) (requires part #2640 for a		right)
JU - U	complete suspension pin set) (Rustler, Stampede, Bandit)	5569	Tires, Alias 2.8" (rear) (2)/ foam inserts (2)
2537	Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw	5578	Tires, Anaconda 2.8" (2)/ foam inserts (2)
3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm	4791	Tires, Pro-Trax mini-spiked 2.2" (rear) (2)
	(1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)	4790R	Tires, Pro-Trax spiked 2.2" (soft-compound)(rear) (2)/ foam inserts (2)
3738A	Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm	5563	Tires, Ribbed 2.8" (front) (2)/ foam inserts (2)
	(1) (assembled w/ rod ends & hollow balls) (See part 3741A for	1654	Wheel hubs, hex (rear) (2)/ stub axle pins (2)
707	complete camber link set)	3654	Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x12mm) (2)
3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for	5853X	Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle
738	complete camber link set) Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm	5353	pin (4)/wrench, 5mm Wheel nuts, splined, 17mm (blue-anodized) (4)
750	(1) (assembled with rod ends & hollow balls)(See part 3741X for	5480X	Wheel wrench, splined, 17mm
			· · ·
	complete camber link set)	3//2A	Wheels, All-Star 2.8" (black chrome) (2VVD electric rear)
741A	complete camber link set) Turnbuckles, aluminum (blue-anodized), camber links, front,	3772A 5576A	Wheels, All-Star 2.8" (black chrome) (2WD electric rear) Wheels, All-Star 2.8" (black chrome) (nitro rear/ electric front) (2)
741A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/	3772A 5576A 3772	Wheels, All-Star 2.8" (black chrome) (2WD electric rear) Wheels, All-Star 2.8" (black chrome) (nitro rear/ electric front) (2) Wheels, All-Star 2.8" (chrome) (2WD electric rear)
	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench	5576A	Wheels, All-Star 2.8" (black chrome) (nitro rear/ electric front) (2)
	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2)	5576A 3772	Wheels, All-Star 2.8" (black chrome) (nitro rear/ electric front) (2) Wheels, All-Star 2.8" (chrome) (2WD electric rear)
	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum	5576A 3772 5576	Wheels, All-Star 2.8" (black chrome) (nitro rear/ electric front) (2) Wheels, All-Star 2.8" (chrome) (2WD electric rear) Wheels, All-Star 2.8" (chrome) (nitro rear/ electric front) (2)
139A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	5576A 3772 5576 3673 3672 3675	Wheels, All-Star 2.8" (black chrome) (nitro rear/ electric front) (2) Wheels, All-Star 2.8" (chrome) (2WD electric rear) Wheels, All-Star 2.8" (chrome) (nitro rear/ electric front) (2) Wheels, chrome (2.2") (front) (2) Wheels, chrome (2.2") (rear) (2) Wheels, dyeable nylon 2.2 (front) (2)
139A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), camber links, front,	5576A 3772 5576 3673 3672 3675 3674	Wheels, All-Star 2.8" (black chrome) (nitro rear/ electric front) (2) Wheels, All-Star 2.8" (chrome) (2WD electric rear) Wheels, All-Star 2.8" (chrome) (nitro rear/ electric front) (2) Wheels, chrome (2.2") (front) (2) Wheels, chrome (2.2") (rear) (2) Wheels, dyeable nylon 2.2 (front) (2) Wheels, dyeable nylon 2.2 (rear) (2)
139A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	5576A 3772 5576 3673 3672 3675 3674 3774	Wheels, All-Star 2.8" (black chrome) (nitro rear/ electric front) (2) Wheels, All-Star 2.8" (chrome) (2WD electric rear) Wheels, All-Star 2.8" (chrome) (nitro rear/ electric front) (2) Wheels, chrome (2.2") (front) (2) Wheels, chrome (2.2") (rear) (2) Wheels, dyeable nylon 2.2 (front) (2) Wheels, dyeable nylon 2.2 (rear) (2) Wheels, Twin-Spoke 2.8" (chrome) (2WD electric rear) (2)
139A 741X	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow	5576A 3772 5576 3673 3672 3675 3674	Wheels, All-Star 2.8" (black chrome) (nitro rear/ electric front) (2) Wheels, All-Star 2.8" (chrome) (2WD electric rear) Wheels, All-Star 2.8" (chrome) (nitro rear/ electric front) (2) Wheels, chrome (2.2") (front) (2) Wheels, chrome (2.2") (rear) (2) Wheels, dyeable nylon 2.2 (front) (2) Wheels, dyeable nylon 2.2 (rear) (2) Wheels, Twin-Spoke 2.8" (chrome) (2WD electric rear) (2) Wheels, Twin-Spoke 2.8" (chrome) (nitro rear/ electric front) (2)
139A 741X	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm	5576A 3772 5576 3673 3672 3675 3674 3774	Wheels, All-Star 2.8" (black chrome) (nitro rear/ electric front) (2) Wheels, All-Star 2.8" (chrome) (2WD electric rear) Wheels, All-Star 2.8" (chrome) (nitro rear/ electric front) (2) Wheels, chrome (2.2") (front) (2) Wheels, chrome (2.2") (rear) (2) Wheels, dyeable nylon 2.2 (front) (2) Wheels, dyeable nylon 2.2 (rear) (2) Wheels, Twin-Spoke 2.8" (chrome) (2WD electric rear) (2)
139A 741X 139X	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	5576A 3772 5576 3673 3672 3675 3674 3774	Wheels, All-Star 2.8" (black chrome) (nitro rear/ electric front) (2) Wheels, All-Star 2.8" (chrome) (2WD electric rear) Wheels, All-Star 2.8" (chrome) (nitro rear/ electric front) (2) Wheels, chrome (2.2") (front) (2) Wheels, chrome (2.2") (rear) (2) Wheels, dyeable nylon 2.2 (front) (2) Wheels, dyeable nylon 2.2 (front) (2) Wheels, Twin-Spoke 2.8" (chrome) (2WD electric rear) (2) Wheels, Twin-Spoke 2.8" (chrome) (nitro rear/ electric front) (2)
139A 741X 139X	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled	5576A 3772 5576 3673 3672 3675 3674 3774 5572	Wheels, All-Star 2.8" (black chrome) (nitro rear/ electric front) (2) Wheels, All-Star 2.8" (chrome) (2WD electric rear) Wheels, All-Star 2.8" (chrome) (nitro rear/ electric front) (2) Wheels, chrome (2.2") (front) (2) Wheels, chrome (2.2") (rear) (2) Wheels, dyeable nylon 2.2 (front) (2) Wheels, dyeable nylon 2.2 (rear) (2) Wheels, Twin-Spoke 2.8" (chrome) (2WD electric rear) (2) Wheels, Twin-Spoke 2.8" (chrome) (nitro rear/ electric front) (2) Transmission Components
139A 741X 139X	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)	5576A 3772 5576 3673 3672 3675 3674 3774 5572	Wheels, All-Star 2.8" (black chrome) (nitro rear/ electric front) (2) Wheels, All-Star 2.8" (chrome) (2WD electric rear) Wheels, All-Star 2.8" (chrome) (nitro rear/ electric front) (2) Wheels, chrome (2.2") (front) (2) Wheels, chrome (2.2") (rear) (2) Wheels, dyeable nylon 2.2 (front) (2) Wheels, dyeable nylon 2.2 (rear) (2) Wheels, Twin-Spoke 2.8" (chrome) (2WD electric rear) (2) Wheels, Twin-Spoke 2.8" (chrome) (nitro rear/ electric front) (2) Transmission Committee (6)/washers (6)/wrench
139A 741X 139X 644	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, camber link, 49mm (82mm center to center) (assembled	5576A 3772 5576 3673 3672 3675 3674 3774 5572	Wheels, All-Star 2.8" (black chrome) (nitro rear/ electric front) (2) Wheels, All-Star 2.8" (chrome) (2WD electric rear) Wheels, All-Star 2.8" (chrome) (nitro rear/ electric front) (2) Wheels, chrome (2.2") (front) (2) Wheels, chrome (2.2") (rear) (2) Wheels, dyeable nylon 2.2 (front) (2) Wheels, dyeable nylon 2.2 (rear) (2) Wheels, Twin-Spoke 2.8" (chrome) (2WD electric rear) (2) Wheels, Twin-Spoke 2.8" (chrome) (nitro rear/ electric front) (2) Transmission Common (6)/washers (6)/ wrench Ball bearings (5x11x4mm) (8)
6139A 6741X 6139X 6644 6643	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)	5576A 3772 5576 3673 3672 3675 3674 3774 5572 1552 4607 3792 5478 3790	Wheels, All-Star 2.8" (black chrome) (nitro rear/ electric front) (2) Wheels, All-Star 2.8" (chrome) (2WD electric rear) Wheels, All-Star 2.8" (chrome) (nitro rear/ electric front) (2) Wheels, chrome (2.2") (front) (2) Wheels, chrome (2.2") (rear) (2) Wheels, dyeable nylon 2.2 (front) (2) Wheels, dyeable nylon 2.2 (rear) (2) Wheels, Twin-Spoke 2.8" (chrome) (2WD electric rear) (2) Wheels, Twin-Spoke 2.8" (chrome) (nitro rear/ electric front) (2) Transmission Completes Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Ball bearings (5x11x4mm) (8) Dust cover/rubber plug (w/ screws) (telemetry ready) Flat wrench, 8mm (blue-anodized aluminum) Gear adapter, fixed
3139A 3741X 3139X 3644 3643	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled	5576A 3772 5576 3673 3672 3675 3674 3774 5572 1552 4607 3792 5478 3790 3691	Wheels, All-Star 2.8" (black chrome) (nitro rear/ electric front) (2) Wheels, All-Star 2.8" (chrome) (2WD electric rear) Wheels, All-Star 2.8" (chrome) (nitro rear/ electric front) (2) Wheels, chrome (2.2") (front) (2) Wheels, chrome (2.2") (rear) (2) Wheels, dyeable nylon 2.2 (front) (2) Wheels, Twin-Spoke 2.8" (chrome) (2WD electric rear) (2) Wheels, Twin-Spoke 2.8" (chrome) (all the chrome) (2WD electric front) (2) Wheels, Twin-Spoke 2.8" (chrome) (all the chrome) (2WD electric front) (2) Wheels, Twin-Spoke 2.8" (chrome) (all the chrome) (all the chrome) (bluels) Wheels, Twin-Spoke 2.8" (chrome) (bluels) Wheels, Twin-Spoke 2.8" (chrome) (all the chrome) (bluels) Wheels, Twin-Spoke 2.8" (chrome) (bluels) Wheels, Twin-Spoke 2.8" (chrome) (bluels) Wheels, Twin-Spoke 2.8" (chrome) (bluels) Wheels,
139A 741X 139X 644 643	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)	5576A 3772 5576 3673 3672 3675 3674 3774 5572 1552 4607 3792 5478 3790 3691 3691A	Wheels, All-Star 2.8" (black chrome) (nitro rear/ electric front) (2) Wheels, All-Star 2.8" (chrome) (2WD electric rear) Wheels, All-Star 2.8" (chrome) (nitro rear/ electric front) (2) Wheels, chrome (2.2") (front) (2) Wheels, chrome (2.2") (rear) (2) Wheels, dyeable nylon 2.2 (front) (2) Wheels, dyeable nylon 2.2 (rear) (2) Wheels, Twin-Spoke 2.8" (chrome) (2WD electric rear) (2) Wheels, Twin-Spoke 2.8" (chrome) (nitro rear/ electric front) (2) Trinsinssion (6)/washers (6)/ wrench Ball bearings (5x11x4mm) (8) Dust cover/rubber plug (w/ screws) (telemetry ready) Flat wrench, 8mm (blue-anodized aluminum) Gear adapter, fixed Gearbox halves (l&r) (black) w/ idler gear shaft Gearbox halves (l&r) (grey) w/ idler gear shaft
8139A 8741X 8139X 8644 8643	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)	5576A 3772 5576 3673 3672 3675 3674 3774 5572 1552 4607 3792 5478 3790 3691 3691A 5148	Wheels, All-Star 2.8" (black chrome) (nitro rear/ electric front) (2) Wheels, All-Star 2.8" (chrome) (2WD electric rear) Wheels, All-Star 2.8" (chrome) (nitro rear/ electric front) (2) Wheels, chrome (2.2") (front) (2) Wheels, chrome (2.2") (rear) (2) Wheels, dyeable nylon 2.2 (front) (2) Wheels, dyeable nylon 2.2 (rear) (2) Wheels, Twin-Spoke 2.8" (chrome) (2WD electric rear) (2) Wheels, Twin-Spoke 2.8" (chrome) (nitro rear/ electric front) (2) Transmission Common (nitro rear/ electric front) (2) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Ball bearings (5x11x4mm) (8) Dust cover/rubber plug (w/ screws) (telemetry ready) Flat wrench, 8mm (blue-anodized aluminum) Gear adapter, fixed Gearbox halves (l&r) (black) w/ idler gear shaft Gearbox halves (l&r) (grey) w/ idler gear shaft Grease, white lithium
3139A 3741X 3139X 3644 3643 3745	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)	5576A 3772 5576 3673 3672 3675 3674 3774 5572 1552 4607 3792 5478 3790 3691 3691A 5148 3696	Wheels, All-Star 2.8" (black chrome) (nitro rear/ electric front) (2) Wheels, All-Star 2.8" (chrome) (2WD electric rear) Wheels, All-Star 2.8" (chrome) (nitro rear/ electric front) (2) Wheels, chrome (2.2") (front) (2) Wheels, chrome (2.2") (rear) (2) Wheels, dyeable nylon 2.2 (front) (2) Wheels, dyeable nylon 2.2 (rear) (2) Wheels, Twin-Spoke 2.8" (chrome) (2WD electric rear) (2) Wheels, Twin-Spoke 2.8" (chrome) (nitro rear/ electric front) (2) Transmission Common (nitro rear/ electric front) (2) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Ball bearings (5x11x4mm) (8) Dust cover/rubber plug (w/ screws) (telemetry ready) Flat wrench, 8mm (blue-anodized aluminum) Gear adapter, fixed Gearbox halves (l&r) (black) w/ idler gear shaft Gearbox halves (l&r) (grey) w/ idler gear shaft Grease, white lithium Idler gear, steel (30-tooth)
3741A 3139A 3741X 3139X 3644 3643 3745 2514 6160X 9950	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)	5576A 3772 5576 3673 3672 3675 3674 3774 5572 1552 4607 3792 5478 3790 3691 3691A 5148	Wheels, All-Star 2.8" (black chrome) (nitro rear/ electric front) (2) Wheels, All-Star 2.8" (chrome) (2WD electric rear) Wheels, All-Star 2.8" (chrome) (nitro rear/ electric front) (2) Wheels, chrome (2.2") (front) (2) Wheels, chrome (2.2") (rear) (2) Wheels, dyeable nylon 2.2 (front) (2) Wheels, dyeable nylon 2.2 (rear) (2) Wheels, Twin-Spoke 2.8" (chrome) (2WD electric rear) (2) Wheels, Twin-Spoke 2.8" (chrome) (nitro rear/ electric front) (2) Transmission Common (nitro rear/ electric front) (2) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Ball bearings (5x11x4mm) (8) Dust cover/rubber plug (w/ screws) (telemetry ready) Flat wrench, 8mm (blue-anodized aluminum) Gear adapter, fixed Gearbox halves (l&r) (black) w/ idler gear shaft Gearbox halves (l&r) (grey) w/ idler gear shaft Grease, white lithium

Page 5 Rustler VXL: TQi Traxxas Link Enabled 2.4GHz Radio & TSM (Model 37076-4) Parts List

rage 3	Rustier VAL. 1 & 11 aAAas Liiik Liiabieu 2.70112 Ra
2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede, Rustler)
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554	Screws, 3x6mm cap-head machine (hex drive) (6)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
3185X	Screws, 3x8mm washerhead machine (large head for motor mount) (6)
1647	Silicone grease
5556	Slipper pressure plate & hub (aluminum alloy)
3195	Top drive gear, steel (22-tooth)
	Traxxas Tools
3433X	Body reamer (aluminum handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,
	3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips,
	#0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/
	driver handle
	Turnbuckles & Threaded Rods
5525	Rod ends (12)/ hollow balls (12)
5525R	Rod ends, heavy duty (Jato/Slayer) (8)
5347	Rod ends, Revo (large) with hollow balls (12)
2537	Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw
3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for
3738A	complete camber link set) Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm
0.002.	(1) (assembled w/ rod ends & hollow balls) (See part 3741A for
	complete camber link set)
3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set)
3738	Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm
	(1) (assembled with rod ends & hollow balls)(See part 3741X for complete camber link set)
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front,
	39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum
	wrench #5477)
3741X	Turnbuckles, aluminum (red-anodized), camber links, front,
	39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow
	balls)/wrench
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled
3643	with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, camber link, 49mm (82mm center to center) (assembled
3643	with rod ends and hollow balls) (1 left, 1 right)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)
	102 5.140 drid Hollow Dallo)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com