



## Chevrolet® Corvette® Stingray (Model 93054-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

### Bearings & Bushings

5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
5105	Ball bearings, blue rubber sealed (6x10x3mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)

### Body & Accessories

<b>9311</b>	<b>Body, Chevrolet Corvette Stingray (clear, trimmed, requires painting)/ decal sheet (includes side mirrors, spoiler, grilles, vents, hardware, &amp; clipless mounting)</b>
9311A	Body, Chevrolet Corvette Stingray, complete (black) (painted, decals applied) (includes side mirrors, spoiler, grilles, vents, & clipless mounting)
9311X	Body, Chevrolet Corvette Stingray, complete (blue) (painted, decals applied) (includes side mirrors, spoiler, grilles, vents, & clipless mounting)
9311R	Body, Chevrolet Corvette Stingray, complete (red) (painted, decals applied) (includes side mirrors, spoiler, grilles, vents, & clipless mounting)
9311T	Body, Chevrolet Corvette Stingray, complete (silver) (painted, decals applied) (includes side mirrors, spoiler, grilles, vents, & clipless mounting)
9318	Exhaust tips (2)/ exhaust tip mounts (2)/ 2.6X8 BCS (4)
9316	Grille, Chevrolet Corvette Stingray / grille mount (3)/ headlight housing (2)/ lens (2)/ headlight mount (2)/ 2.6x6mm BCS (4)/ 2.6x8mm BCS (8)
9313	Latch, body mount, front (for clipless body mounting) (attaches to #9311 body)
9315	Latch, body mount, rear (with engine bay) (for clipless body mounting) (attaches to #9311 body)
9317	Mirrors, side (left & right)/ mounts (left & right)/ trim, side (left & right)/ trim mounts (left & right)/ 2.6x8mm BCS (2)/ 1.6x7mm BCS (8)
9321	Rear window/ rear window retainer/ engine cover/ 2.6x8mm BCS (8)
9319	Tail lights (2)/ tail light mounts (2)/ wing/ wing mount/ vent, rear (2)/ vent mount, rear (2)/ 2.6x8mm BCS (2)/ 1.6x5mm BCS (4)/ 1.6x7mm BCS (6)

### Brake Components

8367	Brake calipers (red), front (2)/ rear (2)
8356	Wheel hubs, hex (disc brake rotors) (4)

### Center Driveline

8381	Housing, differential (front)
8380	Housing, differential (rear)

### Chassis & Attachments

8326	Battery hold-down/ battery clip/ hold-down post/ foam spacer/ screw pin (for 288mm wheelbase)
9314	Body mount, rear (for clipless body mounting)
8324	Box, receiver (sealed) (steering servo mount)/ receiver cover/ access plug/ foam pads/ silicone grease/ 2.5x10 CS (3)
9320	Bumper, front/ bumper mount/ splitter/ bumper foam
8325	Chassis (for 288mm wheelbase)
8321	Chassis brace (front)
8323	Gear cover (rear chassis brace)/ wire retainer

### Differential Components

5381	Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
<b>5136X</b>	<b>Differential oil kit (1 each: 10K, 30K, 50K weights)</b>
8381	Housing, differential (front)
8380	Housing, differential (rear)
<b>8379</b>	<b>Housing, spool / spool shaft/ bushing</b>
<b>6879R</b>	<b>Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)</b>
6879	Ring gear, differential/ pinion gear, differential (rear)

### Driveline Components

<b>8353X</b>	<b>Drive cups, inner (2) (steel constant-velocity driveshafts)/ screw pins (2)</b>
8353	Drive cups, inner (2)/ screw pins (2)
9355	Driveshaft, center, steel (266mm)/ pin/ support, center driveshaft/ 5x11x4 bearing
8350	Driveshaft, front (2)
8351	Driveshaft, rear (2)
<b>8350X</b>	<b>Driveshafts, steel constant-velocity (assembled), front (2)</b>

<b>8351X</b>	<b>Driveshafts, steel constant-velocity (assembled), rear (2)</b>
8382	O-rings (12)
2754	Stub axle pins (4)
8354	Stub axles (front or rear) (2)
8356	Wheel hubs, hex (disc brake rotors) (4)

### Front Suspension & Steering

8330	Bulkhead, front
8341	Camber link/toe link set (plastic/ non-adjustable) (front & rear)
8332	Caster blocks (c-hubs) (2)/ kingpin bushings (4)
8334	Mounts, suspension arms (front & rear)/ hinge pin retainers (4)
<b>8334X</b>	<b>Mounts, suspension arms, aluminum (blue-anodized) (front &amp; rear)/ hinge pin retainers (12)/ inserts (6)</b>
<b>8334G</b>	<b>Mounts, suspension arms, aluminum (green-anodized) (front &amp; rear)/ hinge pin retainers (12)/ inserts (6)</b>
<b>8334R</b>	<b>Mounts, suspension arms, aluminum (red-anodized) (front &amp; rear)/ hinge pin retainers (12)/ inserts (6)</b>
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
5347	Rod ends, Rev o® (large) with hollow balls (12)
<b>8345</b>	<b>Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))</b>
<b>8345G</b>	<b>Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))</b>
<b>8345R</b>	<b>Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))</b>
8344	Servo saver/ servo saver spring/ servo horn, steering
8338	Shock towers, front & rear
8343	Steering bellcranks/ hardware
8337	Steering block (2)
2754	Stub axle pins (4)
8354	Stub axles (front or rear) (2)
8333	Suspension arms, front (left & right)
8340	Suspension pin set, complete (front & rear)
<b>8398</b>	<b>Sway bar kit, 4-Tec® 2.0 (front and rear) (includes front and rear sway bars and adjustable linkage)</b>
<b>8342</b>	<b>Toe links, steel (34mm) (2)</b>
<b>8341X</b>	<b>Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench</b>
<b>8341G</b>	<b>Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench</b>
<b>8341R</b>	<b>Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench</b>

### Hardware

8347	Nuts, 4mm flanged nylon locking, serrated (black) (10)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
5347	Rod ends, Rev o® (large) with hollow balls (12)
3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)
3236	Screws, 2.5x12mm cap-head machine (6)
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
2587	Screws, 3x10mm cap-head machine (6) (no washer)
2551	Screws, 3x10mm countersunk machine (6) (hex drive)
4859	Screws, 3x10mm flat-head machine (hex drive) (4)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2552	Screws, 3x12mm countersunk machine (6) (hex drive)
2593	Screws, 3x14mm button-head machine (hex drive) (6)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
2553	Screws, 3x15mm countersunk machine (6) (hex drive)
8356	Wheel hubs, hex (disc brake rotors) (4)

### LED Lights

<b>9380</b>	<b>LED light harness/ power harness/ zip ties (9) (fits #9311 body)</b>
-------------	---

### Motors & Electronics

<b>2260</b>	<b>BEC assembly (complete)</b>
2072A	Gear set (for 2070, 2075 servos)
3785	Motor, Titan® 12T (12-Turn, 550 size)
8390	Plate, motor
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
<b>8345</b>	<b>Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))</b>
<b>8345G</b>	<b>Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))</b>
<b>8345R</b>	<b>Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))</b>
8344	Servo saver/ servo saver spring/ servo horn, steering

## Page 2 Chevrolet® Corvette® Stingray: TQ™ 2.4GHz Radio (Model 93054-4) Parts List

2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
3350R	Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725R))
3355R	Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
3018R	XL-5 Electronic Speed Control, waterproof (land v version, low-voltage detection, fwd/rev/brake)

### Radio System, Batteries & Chargers

2842X	5000mAh 7.4v 2-Cell 25C LiPo Battery
2843X	5800mAh 7.4v 2-Cell 25C LiPo Battery
2869X	7600mAh 7.4v 2-Cell 25C LiPo Battery
2976	AC to DC converter, 40W
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)
2943	Battery charge indicators (green (4), blue (4), gray (4))
6548	Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
2914	Battery, Power Cell AA Alkaline (4)
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
2983	Battery/charger complete pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH battery (1))
2992	Battery/charger complete pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))
2260	BEC assembly (complete)
2969	Charger, AC, 2 amp NiMH peak detecting (5-7 cell, 6.0-8.4 volt, NiMH only)
2975	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification
2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification
6525	Communication link, telemetry expander
6512	Cover plate, Traxxas Link™ Wireless Module
2978	Fuse, charger, 5A (2) (for #2974, 2975, 2977)
2072A	Gear set (for 2070, 2075 servos)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6560	Mount, telemetry expander (fits 4-Tec® 2.0)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6519	Receiver, micro, TQ 2.4GHz (3-channel)
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)
6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)
6526	Sensor, auto-detectable, temperature
6527	Sensor, auto-detectable, voltage
6521	Sensor, temperature and voltage (long)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
8345	Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))
8345G	Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))
8345R	Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))
8344	Servo saver/ servo saver spring/ servo horn, steering
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
6553X	Telemetry expander 2.0 and GPS module 2.0, TQi radio system
6550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)
6516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)

6528	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only)
6529	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only)
6530	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)
6511	Traxxas Link™ Wireless Module
3018R	XL-5 Electronic Speed Control, waterproof (land v version, low-voltage detection, fwd/rev/brake)

### Ready-To-Race Model

93054-4	Chevrolet® Corvette® Stingray: 1/10 Scale AWD Supercar with TQ™ 2.4GHz Radio System
---------	---

### Rear Suspension

8329	Bulkhead, rear
8352	Carriers, stub axle (left & right)
8334	Mounts, suspension arms (front & rear)/ hinge pin retainers (4)
8334X	Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
8334G	Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
8334R	Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
5347	Rod ends, Rev o® (large) with hollow balls (12)
8338	Shock towers, front & rear
2754	Stub axle pins (4)
8354	Stub axles (front or rear) (2)
8331	Suspension arms, rear (left & right)
8340	Suspension pin set, complete (front & rear)
8398	Sway bar kit, 4-Tec® 2.0 (front and rear) (includes front and rear sway bars and adjustable linkage)
8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341R	Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench

### Shock Oil

5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029	Shock oil bottle (60cc) (for mixing shock oil)
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
1667	Silicone shock oil (30 wt), 60cc
5038	Spinning carousel rack

### Shocks (Pro-level Aluminum)

2658	Big Bore shocks (short) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts w/ springs)(f/r)(2) (Note: Assembled with 32mm shafts, 29mm shafts included)
2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
8361	Shock caps (black) (4) (assembled with hollow balls)
2667	Shock caps, aluminum (Big Bore Shocks) (2)
4261T	Shock shafts, hardened steel, titanium nitride coated (29mm) (front) (2)
4262T	Shock shafts, hardened steel, titanium nitride coated (32mm) (2)
4261	Shock shafts, steel, chrome finish (29mm) (front) (2)
4262	Shock shafts, steel, chrome finish (32mm) (2)
1765	Silicone diaphragms (4)
2668	Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)

### Shocks (Ultra Shocks)

2362	Rebuild kit, Ultra shocks (for 2 shocks)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
8361	Shock caps (black) (4) (assembled with hollow balls)
8360	Ultra Shocks (gray) (short) (includes spring pre-load spacers) (2)

## Springs

8362X	Spring, shock (blue) (3.7 rate) (2)
8362G	Spring, shock (green) (3.7 rate) (2)
8362P	Spring, shock (pink) (3.7 rate) (2)
8366	Spring, shock (red) (2.8 rate, white stripe) (2)
8365	Spring, shock (red) (3.325 rate, orange stripe) (2)
8362	Spring, shock (red) (3.7 rate) (2)
8363	Spring, shock (red) (4.075 rate, green stripe) (2)
8364	Spring, shock (red) (4.4 rate, black stripe) (2)

## Spur Gears & Pinion Gears

2728	Ball bearings (5x8x2.5mm) (2)
8323	Gear cover (rear chassis brace)/ wire retainer
1918	Gear, 18-T pinion (48-pitch) / set screw
2419	Gear, 19-T pinion (48-pitch) / set screw
2421	Gear, 21-T pinion (48-pitch) / set screw
2422	Gear, 22-T pinion (48-pitch) / set screw
2423	Gear, 23-T pinion (48-pitch) / set screw
2424	Gear, 24-T pinion (48-pitch) / set screw
2426	Gear, 26-T pinion (48-pitch)/set screw
4725	Gear, pinion (25-tooth) (48-pitch) / set screw
4728	Gear, pinion (28-tooth) (48-pitch)/ set screw
8359	Spur gear, 62-tooth
8357	Spur gear, 70-tooth
8368	Spur gear, 72-tooth (48 pitch)

## Steering Components

8345	Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))
8345G	Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))
8345R	Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))
8344	Serv o saver/ serv o saver spring/ serv o horn, steering
8343	Steering bellcranks/ hardware
8342	Toe links, steel (34mm) (2)

## Suspension Linkage

8341	Camber link/toe link set (plastic/ non-adjustable) (front & rear)
5347	Rod ends, Rev o® (large) with hollow balls (12)
8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341R	Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench

## Team Traxxas Items

2514	Decal sheet, racing sponsors
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)

## Tires & Wheels

9370	Tires and wheels, assembled, glued (split-spoke black chrome wheels, 2.1" Response tires) (front) (2)
9371	Tires and wheels, assembled, glued (split-spoke black chrome wheels, 2.1" Response tires) (extra wide, rear) (2)

## Traxxas Tools

3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8721	Speed bit handle, medium (one piece)
8720	Speed bit handle, premium, large (rubber overmold)
8722	Speed bit handle, premium, medium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive

8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle

## Turnbuckles & Threaded Rods

8341	Camber link/toe link set (plastic/ non-adjustable) (front & rear)
8342	Toe links, steel (34mm) (2)
8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341R	Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench

If you have questions or need technical assistance, call Traxxas at:

**1-888-TRAXXAS**

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

**TRAXXAS.COM**