

BIGFOOT® No. 1 Officially Licensed Replica (Model 36334-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Bearings & Bushings	3621-PINK	Bumper, front/ bumper mount, front / 4x23mm BCS (2)/ 3x10mm BCS (2) (pink)
5116A 5116	Ball bearings, black rubber sealed (5x11x4mm) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2)	3622X	Main chassis (black) (164mm long battery compartment) (fits both flat
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)		and hump style battery packs) (use only with #3626R ESC mounting plate)
	Body & Accessories	3622R	Main chassis (grey) (164mm long battery compartment) (fits both flat and hump style battery packs) (use only with #3626R ESC
1926	Antenna caps, vinyl (2)/ antenna spool		mounting plate)
1726 3662	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Body accessories kit, Bigfoot® No. 1, (includes winch, front and rear	3626R	Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®)
	bumpers, roll bar, light bar, engine detail & mounting hardware) (grille	3629	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
3747	sold separately) Body support (with front & rear latches)/ 2.6x15mm BCS (6) (for	3639	Shock tower (front)
3747	clipless body mounting)	3638R	Shock tower (rear) (for clipless body mounting)
3660X	Body, Bigfoot® No. 1 (clear, requires painting)/ window masks/ decal	9462X 9462	Side plates, wheelie bar, blue (aluminum) (2) Side plates, wheelie bar, charcoal gray (aluminum) (2)
3661-BLUE	sheet (requires #3747 body support for clipless mounting) Body, Bigfoot® No. 1, Officially Licensed replica (painted, decals	9462G	Side plates, wheelie bar, green (aluminum) (2)
000. 2202	applied) (assembled with body support for clipless mounting)	9462A	Side plates, wheelie bar, orange (aluminum) (2)
2514	Decal sheet, racing sponsors	9462P	Side plates, wheelie bar, pink (aluminum) (2)
3656	Grille, Bigfoot® No. 1, (chrome)/ decals/ adhesive tape	9462R 3623-BLK	Side plates, wheelie bar, red (aluminum) (2) Skid plates, front & rear (black)
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)	3623-BLUE	Skid plates, front & rear (blue)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)	3623-GRN	Skid plates, front & rear (green)
5185 4974	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)	3623-PINK	Skid plates, front & rear (pink)
4974 3677X	Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4) Wheelie bar mount (1) / hardware (blue)	5185	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)
3677A	Wheelie bar mount (1) / hardware (green)	4974	Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
3677P	Wheelie bar mount (1) / hardware (gireen) Wheelie bar mount (1) / hardware (pink)	3677X	Wheelie bar mount (1) / hardware (blue)
3677	Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit	3677A	Wheelie bar mount (1) / hardware (green)
0077	series)	3677P	Wheelie bar mount (1) / hardware (pink)
3678	Wheelie bar, assembled (black) (fits Slash®, Stampede®, Rustler®, Bandit® series)	3677	Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit series)
3678X	Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit	9464	Wheelie bar mount (heavy duty)
	series)	3678	Wheelie bar, assembled (black) (fits Slash®, Stampede®, Rustler®,
3678A	Wheelie bar, assembled (green) (fits Slash®, Stampede®, Rustler®, Bandit® series)	3678X	Bandit® series) Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit
3678T	Wheelie bar, assembled (orange) (fits Slash®, Stampede®,		series)
3678P	Rustler®, Bandit® series) Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®,	3678A	Wheelie bar, assembled (green) (fits Slash®, Stampede®, Rustler®, Bandit® series)
	Bandit series)	3678T	Wheelie bar, assembled (orange) (fits Slash®, Stampede®, Rustler®, Bandit® series)
3678R	Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series)	3678P	Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®,
4976	Wheels (4)/ Axles (2), for Maxx® Wheelie Bar	2670D	Bandit series)
5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)	3678R	Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series)
5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/	9460	Wheelie bar, black (assembled)/ wheelie bar mount
	axles (2)/ rubber tires (2)	9460X	Wheelie bar, black chrome (assembled)/ wheelie bar mount
	Chassis & Attachments	4976	Wheels (4)/ Axles (2), for Maxx® Wheelie Bar
9463X	Axle, wheelie bar, 6061-T6 aluminum (blue-anodized) (1)/ 3x12	5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
9463	BCS (with threadlock) (2) Axle, wheelie bar, 6061-T6 aluminum (gray-anodized) (1)/ 3x12	5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
	BCS (with threadlock) (2)	9461X	Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/
9463G	Axle, wheelie bar, 6061-T6 aluminum (green-anodized) (1)/ 3x12 BCS (with threadlock) (2)	0.404.	5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9463A	Axle, wheelie bar, 6061-T6 aluminum (orange-anodized) (1)/ 3x12	9461T	Wheels, wheelie bar, 6061-T6 aluminum (gray-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
	BCS (with threadlock) (2)	9461G	Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/
9463P	Axle, wheelie bar, 6061-T6 aluminum (pink-anodized) (1)/ 3x12		5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
3725X	BCS (with threadlock) (2) Battery expansion kit (allows for installation of taller multi-cell	9461A	Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/
07200	battery packs) (Rustler, Bandit, Stampede) (requires part #3627X)	9461P	5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2) Wheels, wheelie bar, 6061-T6 aluminum (pink-anodized) (2)/
3627X	Battery hold-down (grey) (1) / receiver hold-down (grey) (1) / metal		5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
1834	posts (2)/ spacers (2)/ body clips (2)/ servo tape/ adhesive foam pad Body Clips (12) (standard size)	9461R	Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
3934	Body clips, heavy duty (12)	9461	Wheels, wheelie bar, black (26mm (2), 18mm (2))
3614X	Body mounts, front & rear (for clipless body mounting)	0-101	
3628	Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)		Differential Components
2530-BLK	Bulkhead (front) (black)	2380	Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit,
2530-GRAY	Bulkhead (front) (gray)	000414	Stampede®, Slash®)
2735	Bumper (front)	2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit,
2735P	Bumper (front) (pink)	2382	Stampede®, Rustler®) Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment
3621-BLK	Bumper, front/ bumper mount, front / 4x23mm BCS (2)/ 3x10mm BCS	2382	shaft (1) all hardened steel
3634 DI HE	(2) (black) Rumper front/ humper mount front / 4x23mm BCS (2)/ 3x40mm	2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit,
3621-BLUE	Bumper, front/ bumper mount, front / 4x23mm BCS (2)/ 3x10mm BCS (2) (blue)		Stampede®, Rustler®)
3621-GRAY	Bumper, front/ bumper mount, front / 4x23mm BCS (2)/ 3x10mm	5169	Screws, 2.6x8mm countersunk machine (6) (EZ Start 2 motor)
	BCS (2) (gray)	1647	Silicone Grease

Page 2 BIGFOOT® No. 1 Officially Licensed Replica: TQ™ 2.4 GHz Radio (Model 36334-4) Parts List

		0490 BLUE	Outer Driveline 9 Supremier Hermade Kit entreme heavy, duty
	Driveline Components	9180-BLUE	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, blue (fits Rustler® 2WD or Stampede® 2WD)
3637 5116	Axles (front) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2)	9180-GRAY	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, gray
9150	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,	9180-GRN	(fits Rustler® 2WD or Stampede® 2WD) Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, green (fits Rustler® 2WD or Stampede® 2WD)
9150-BLUE	9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/	9180-ORNG	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty,
9130-BLUE	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	9180-RED	orange (fits Rustler® 2WD or Stampede® 2WD) Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, red (fits Rustler® 2WD or Stampede® 2WD)
9150-GRAY	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181,	3638R 9137	Shock tower (rear) (for clipless body mounting) Steering blocks, extreme heavy duty, black (left & right)/ 3x26mm
9150-GRN	9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/		hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-ORNG	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left &	9137-BLUE	Steering blocks, extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182
3130-OKNG	rightly 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	9137-GRAY	upgrade kit) Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182
9150-RED	Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,	9137-GRN	upgrade kit) Steering blocks, extreme heavy duty, green (left & right)/
6828A	9181, 9182 upgrade kit) Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft)/		3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
6852A	screw pin (2) Driveshaft assembly, rear, extreme heavy duty (1) (left or right) (fully	9137-ORNG	Steering blocks, extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
1951R	assembled, ready to install)/ screw pin (1) Driveshafts, rear, steel-spline constant-velocity (complete	9137-RED	Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182
6751	assembly) (2) (fits 2WD Rustler®/Stampede®) Half shaft, internal splined (steel-spline constant velocity) (1)	0.100	upgrade kit)
6757	Rebuild kit, steel-splined constant-velocity driveshafts (includes	9189	Toe links (molded composite) (96mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit)
6853A	pins, dustboots, lube, and hardware) Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right)		Front Suspension & Steering
0754	(assembled with internal-splined half shaft)	2537	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm)
2754 6753	Stub axle pins (4) Stub axle, rear, steel-splined constant velocity (1)	3642 3637	Attachment screws, shock (3x12mm shoulder screws) (6) Axles (front) (2)
9142	Suspension pin set, extreme heavy duty, complete (front and rear)	5116A	Ball bearings, black rubber sealed (5x11x4mm) (2)
	(2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit)	5116 2530-BLK	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black)
	Extreme HD Upgrade Kit	2530-BER 2530-GRAY	Bulkhead (front) (gray)
9195	Camber links, front (molded composite) (69mm center to center) (2)	2545	Bushings (plastic) (5x8x2.5mm) (4)
	(assembled with hollow balls) (for use with #9180 or 9181 upgrade kit)	9195	Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit)
9194 9150	Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/	9136	Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and
0.00	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	9136-BLUE	9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and
9150-BLUE	Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,	9136-GRAY	9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/
9150-GRAY	9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/		3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and
	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	9136-GRN	9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and
9150-GRN	Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	9136-ORNG	9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/
9150-ORNG	, ,	9136-RED	3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, red (left & right)/
9150-RED	#9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/	3 130-KED	3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	1844X	Servo saver w/ adapters
9136	Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and	3639 9137	Shock tower (front) Steering blocks, extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182
9136-BLUE	9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and	9137-BLUE	upgrade kit) Steering blocks, extreme heavy duty, blue (left & right)/ 3x26mm
9136-GRAY	9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, gray (left & right)	9137-GRAY	hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm
9136-GRN	3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, green (left & right)/		hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
	3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)		Steering blocks, extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9136-ORNG	Caster blocks (c-hubs), extreme heavy duty, orange (left & right): 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)		Steering blocks, extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180,
9136-RED	Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and	9137-RED	9181, 9182 upgrade kit) Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182
9180	9181 upgrade kit) Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, black (fits Rustler® 2WD or Stampede® 2WD)	3631X	upgrade kit) Suspension arms, black, front, heavy duty (2)
	· ,	3631A	Suspension arms, blue, front, heavy duty (2)

Page 3	BIGFOOT® No. 1 Officially Licensed Replica: TQ™ 2	2.4 GHz	Radio (Model 36334-4) Parts List
3631G 3631T	Suspension arms, green, front, heavy duty (2) Suspension arms, orange, front, heavy duty (2)	5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
3631R	Suspension arms, red, front, heavy duty (2)	2754	Stub axle pins (4)
9142	Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with	3740	Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks)
	#9180, 9181, 9182 upgrade kit)	2746	Washers, 3x6mm metal (12)
3740	Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2)		LED Lights
2640	(strengthens caster blocks) Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead)	3630	Bumper, front/ bumper mount/ 4x12 CCS (4)/ 4x22 BCS (2)/ 3x10 BCS (2) (fits 2WD Bigfoot® No. 1) (for LED light kit installation)
2532	Tie bar, fiberglass (requires suspension pins, part# 2640)	3795	LED light harness, rear (requires #2477 wheelie bar mount)
9189	Toe links (molded composite) (96mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit)	3694	LED light set, complete (includes front and rear bumpers with LED lights & BEC Y-harness) (fits 2WD Stampede®)
3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm	2263	Y-harness, BEC to LED light set
	(1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for		Motors & Electronics
3737	complete camber link set) Turnbuckle, aluminum (red-anodized), camber link, front, 39mm	2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input
3/3/	(1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set)	3382	voltage) BL-2s™ Brushless Power System, waterproof (includes BL-2s™ ESC
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front,	2222	& BL-2s™ 3300 motor)
	39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench	3383	BL-2s™ Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
2336A	Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2)	3340	Cooling fan, electronic speed control, Velineon® VXL-3s or BL- 2s™
	(assembled w/ rod ends & hollow balls) (fits Stampede®)	3790	Gear adapter, fixed
3741G	(requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front,	2053	Gear set (for 2055, 2056 servos)
3/410	39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/	2072A	Gear set (for 2070, 2075 servos)
	wrench	2252	Gear set, metal (for 2250, 2255 servos)
3741T	Turnbuckles, aluminum (orange-anodized), camber links, front,	2272	Gear set, metal (for 2270 waterproof servo)
	39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/	1552 3384	Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Motor, BL-2s™ 3300, brushless
3741P	wrench Turnbuckles, aluminum (pink-anodized), camber links, front,	3626R	Mounting plate, electronic speed control/receiver box (for installation
	39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/		of XL-5/VXL and waterproof receiver box into Stampede®)
0744V	wrench	2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
3741X	Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow	2253 2251	Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for
	balls)/wrench	2231	2250, 2255 servos)
2336X	Turnbuckles, aluminum (red-anodized), toe links, 61mm	2271	Servo case/ gaskets (for 2270 waterproof servo)
	(2)(assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)	2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
3644	Turnbuckles, camber link, 39mm (69mm center to center)	2075R 2075	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof
	(assembled with rod ends and hollow balls) (1 left, 1 right)	2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing),
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)	2255	waterproof Servo, digital high-torque 400 brushless, metal gear (ball
	Hardware	2233	bearing), waterproof
1926	Antenna caps, vinyl (2)/ antenna spool	2280	Servo, digital high-torque 600 brushless, metal gear (ball
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)		bearing), waterproof
1834	Body Clips (12) (standard size)	2270	Servo, digital high-torque, metal gear (ball bearing), waterproof
3934	Body clips, heavy duty (12)	2075X 2056	Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, high-torque, waterproof (blue case)
3787	Hardware kit, Bandit®/Stampede®/Rustler® (contains all	3350R	Velineon® VXL-3s Brushless Power System, waterproof
2745	hardware used on Bandit®, Stampede®, or Rustler®) Nuts, 3mm nylon locking (12)		(includes VXL-3s waterproof ESC , Velineon® 3500 motor, and
1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)		speed control mounting plate (part #3725))
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)		Radio System, Batteries & Chargers
1747	Nuts, 4mm nylon locking (10)	2922X	3000mAh 7.2V 6-cell flat NiMH Battery, Power Cell
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)	2827X	3000mah 7.4v 2-Cell LiPo Battery
1747G 1747T	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)	2923X	3000mAh 8.4V 7-cell flat NiMH Battery, Power Cell
1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)	2926X 2942X	3000mAh 8.4V 7-cell hump NiMH Battery, Power Cell 3300mAh 7.2V 6-cell flat NiMH Battery, Series 3 Power Cell
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)	2940X	3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws		3300mAh 8.4V 7-cell hump NiMH Battery, Series 3 Power Cell
3730	(2) Screw pin set (Rustler®/ Bandit/ Stampede®)	2952X	4200mAh 7.2V 6-cell flat NiMH Battery, Series 4 Power Cell
3739 3965	Screws, 2.5x8mm cap-head machine (6)	2950X	4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell
2587	Screws, 3x10mm caphead machine (6) (no washer)	2951X 2842X	4200mAh 8.4V 7-cell hump NiMH Battery, Series 4 Power Cell 5000mah 7.4v 2-Cell 25C LiPo Battery
2551	Screws, 3x10mm countersunk machine (6) (hex drive)	2960X	5000mAh 8.4V 4-cell flat NiMH Battery, Series 5 Power Cell
2578	Screws, 3x12mm button-head machine (hex drive) (6)	2961X	5000mAh 8.4V 7-cell hump NiMH Battery, Series 5 Power Cell
2552	Screws, 3x12mm countersunk machine (6) (hex drive)	2843X	5800mah 7.4v 2-Cell 25C LiPo Battery
2593	Screws, 3x14mm button-head machine (hex drive) (6)	2869X	7600mah 7.4v 2-Cell 25C LiPo Battery
2579 2586	Screws, 3x15mm button-head machine (hex drive) (6) Screws, 3x15mm cap-head machine (hex drive) (6)	2976	AC to DC adapter
3646	Screws, 3x15mm flat-head machine (hex drive) (6)	2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)
2583	Screws, 3x18 button-head machine (hex drive) (6)	1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2580	Screws, 3x20mm button-head machine (hex drive) (6)	2943	Battery charge indicators, green (4), grey (4), blue (4)
2591	Screws, 3x23mm button-head machine (hex drive) (6)	6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517
2582	Screws, 3x30mm button-head machine (hex drive) (6)		transmitter)
2575	Screws, 3x6mm button-head machine (hex drive) (6)	2914	Battery, Power Cell AA Alkaline (4)
2554	Screws, 3x6mm caphead machine (hex drive) (6)	2983	Battery/charger completer pack (includes #2969 2-amp NiMH
3932	Screws, 3x6mm flat-head machine (hex drive) (6)		peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))
2576 3931	Screws, 3x8mm button-head machine (hex drive) (6) Screws, 3x8mm flat-head machine (hex drive) (6)		.20 84401 (1)
2542	Screws, 4x12mm countersunk machine (hex drive) (6)		
	, <u></u>		

Page 4	BIGFOOT® No. 1	Officially	Licensed Rep	olica: TQ™ :	2.4 GHz Radio	(Model 36334-4) Parts List
--------	-----------------------	------------	---------------------	--------------	---------------	----------------	--------------

2992 B2 2985-2S B2 2985-2S B2 2260 B1 2975 C1 2972 C1 2973 C2 2973 C2 2974 B2 2985 C1 2981 C2 2985 C2 2971 E2 2978 F1 2053 G2 2072A G6 2072A G6 2272 G6 2272 G7 2968X Li T1 2968 Li T1 6557X M 6535 M 6525 C2 2916 P6 6519 P6 6552 G6 6527 G6 6527 G6 6527 G6 6527 G6 6527 G6 6527 G6 6521 S6 6521 S6 2074 S6	Battery/charger completer pack (includes #2969 2-amp NiMH Deak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH D® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2985 charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Battery (1)) BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage) Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery dentification Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery dentification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification Communication link, telemetry expander EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth® Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for Fraxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Fraxxas® iD® batteries) Mount, telmetry expander (fits Stampede® 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal coad Power adapter, AC, USB-C (45W) (110 volt, North America only)		Carriers, stub axle, rear, extreme heavy duty, black (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Screw pin set (Rustler®/ Bandit/ Stampede®) Shock tower (rear) (for clipless body mounting) Suspension arms, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (20 wt, 500 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
#22985-2S B3 #22260 B4 #22260 B6 2975 C6 2972 C6 2972 C6 2973 C6 2970 C6 2981 C6 2985 C6 2971 E2 2978 F6 2072A G6 2272 G6 2272 G6 2272 G6 2272 G7 2968X Li Tr 2968 Li Tr 6557X M 6535 M 6535 M 6535 M 6526 S6 6527 S6 6527 S6 6522 S6 6521 S6 6521 S6 2074 S6	#2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2985 charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Battery (1)) BEC assembly (complete) (12.6 volts (3s LiPo) maximum input //oltage) Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery dentification Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery dentification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification Communication link, telemetry expander EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth® Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for fraxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for fraxxas® iD® batteries) Mount, telemetry expander (fits Stampede® 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Power adapter, AC, USB-C (45W) (110 volt, North America only) Power cable, USB-C, 100W (high output), 5 ft. (1.5m)	9150-GRAY 9150-GRN 9150-ORNG 9150-RED 3739 3638R 3655P 3655R 3655G 3655T 3655L 9142 5031 5032 5033 5034	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Screw pin set (Rustler®/ Bandit/ Stampede®) Shock tower (rear) (for clipless body mounting) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, orange, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) SIDCK OT
#2260	#2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Battery (1)) BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage) Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery dentification Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery dentification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification and Bluetooth® EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth® Euse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander (fits Stampede® 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal and Power adapter, AC, USB-C (45W) (110 volt, North America only)	9150-GRN 9150-ORNG 9150-RED 3739 3638R 3655P 3655C 3655C 3655T 3655L 9142 5031 5032 5033 5034	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Screw pin set (Rustler®/ Bandit/ Stampede®) Shock tower (rear) (for clipless body mounting) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, orange, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) SIDCK 01 Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
2260 Bi vo 2975 Ci 2972 Ci 2972 Ci dd 2973 Ci 2970 Ci 2981 Ci 2985 Ci 2985 Ci 2971 Ei 2978 Fi 2053 Gi 2072A Gi 2272 Gi 2968X Li 76557X M 6535 M 6535 M 6535 M 6557X M 6535 M 6557 Si 6552 Si 6552 Si 6521 Si 2074 Si 2074	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage) Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery dentification Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery dentification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Communication link, telemetry expander EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth® Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander (fits Stampede® 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal and Power adapter, AC, USB-C (45W) (110 volt, North America only)	9150-GRN 9150-ORNG 9150-RED 3739 3638R 3655P 3655C 3655C 3655T 3655L 9142 5031 5032 5033 5034	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Screw pin set (Rustler®/ Bandit/ Stampede®) Shock tower (rear) (for clipless body mounting) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) SIDCKOF
2975 Ci 2972 Ci Id 2973 Ci Si 2970 Ci 2981 Ci 2981 Ci 2985 Ci 6525 Ci 2971 Ei 2978 Fi 2053 Gi 2072A Gi 2272 Gi 2272 Gi 2272 Gi 2272 Gi 2272 Gi 2568X Li Tr 6557X M 6535 M 6535 M 6535 M 6535 Gi 6527 Gi 6526 Si 6527 Si 6526 Si 6527 Si 6521 Si 2074 Si	Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery dentification Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery dentification Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification Communication link, telemetry expander EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth® Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for Fraxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Fraxxas® iD® batteries) Mount, telemetry expander (fits Stampede® 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad	9150-ORNG 9150-RED 3739 3638R 3655P 3655R 3655G 3655T 3655L 9142 5031 5032 5033 5034	Carriers, stub axle, rear, extreme heavy duty, green (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Screw pin set (Rustler®/ Bandit/ Stampede®) Shock tower (rear) (for clipless body mounting) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, orange, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) SIDCKOT Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
2973 CC BB 2970 CI 2981 CI 2981 CI 2985 CC 2971 EE 2978 Ft 2053 Gc 2072A Gc 2272 Gc 2272 CG 2968X Li Tr 2968 Li Tr 2968 Li 6557X M 6535 M 6519 Pc 6519 Rc 6552 Gc 6527 Sc 6521 Sc 6521 Sc 2074 Sc	dentification Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery dentification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification Communication link, telemetry expander EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth® Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for Fraxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Fraxxas® iD® batteries) Mount, telemetry expander (fits Stampede® 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Power adapter, AC, USB-C (45W) (110 volt, North America only) Power cable, USB-C, 100W (high output), 5 ft. (1.5m)	9150-RED 3739 3638R 3655P 3655R 3655G 3655T 3655L 9142 5031 5032 5033 5034	9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Screw pin set (Rustler®/ Bandit/ Stampede®) Shock tower (rear) (for clipless body mounting) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, front/rear (left & right), heavy duty (2) Suspension arms, orange, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) SIDCK 01 Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
2970 Ci Id 2981 Ci 2985 Ci 86 2985 Ci 2971 Ei 2978 Fi 2053 Gi 2072A Gi 2272 Gi 2968X Li Tr 6557X M 65557X M 6535 M 96 6526 Gi 6527 Gi 6527 Si 6522 Si 6521 Si 2074 Si	Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery dentification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification Communication link, telemetry expander EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth® Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for Fraxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Fraxxas® iD® batteries) Mount, telemetry expander (fits Stampede® 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal and Power adapter, AC, USB-C (45W) (110 volt, North America only)	9150-RED 3739 3638R 3655P 3655R 3655G 3655T 3655L 9142 5031 5032 5033 5034	right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Screw pin set (Rustler®/ Bandit/ Stampede®) Shock tower (rear) (for clipless body mounting) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, orange, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
2981 Ci Ba 2985 Ci Ba 6525 Ca 2971 Ea 2978 Fu 2053 Ga 2072A Ga 2272 Ga 2272 Ga 2272 Ga 2273 M 6557X M 6535 M 92912 Pa 2916 Pa 6519 Pa 6552 Sa 6527 Sa 6522 Sa 6521 Sa 2271 Sa 2271 Sa 2271 Sa	dentification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification Communication link, telemetry expander EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth® Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander (fits Stampede® 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Power adapter, AC, USB-C (45W) (110 volt, North America only) Power cable, USB-C, 100W (high output), 5 ft. (1.5m)	3739 3638R 3655P 3655R 3655G 3655T 3655L 9142 5031 5032 5033 5034	Carriers, stub axle, rear, extreme heavy duty, red (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Screw pin set (Rustler®/ Bandit/ Stampede®) Shock tower (rear) (for clipless body mounting) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, front/rear (left & right), heavy duty (2) Suspension arms, orange, front/rear (left & right), heavy duty (2) Suspension arms, orange, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) SIDCK OF
2985 Ci Ba 6525 Ci 2971 Ez 2978 Fu 2053 Gi 2072A Gi 2272 Gi 2968X Li Tr 6557X M 6535 M 6535 M 6535 M 65519 Ri 65519 Ri 6552 Si 6526 Si 6527 Si 6521 Si 6521 Si 2271 Si 2074 Si	Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification Communication link, telemetry expander EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth® Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for Iraxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Iraxxas® iD® batteries) Wount, telemetry expander (fits Stampede® 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal and Power adapter, AC, USB-C (45W) (110 volt, North America only) Power cable, USB-C, 100W (high output), 5 ft. (1.5m)	3638R 3655P 3655R 3655G 3655T 3655L 9142 5031 5032 5033 5034	9181, 9182 upgrade kit) Screw pin set (Rustler®/ Bandit/ Stampede®) Shock tower (rear) (for clipless body mounting) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, orange, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
B6 6525 C971 E2 2978 F1 2053 G3 2072A G4 2272 G6 2272 G6 2557X M 65557X M 6535 M pa 2912 P6 6519 G526 G527 G522 G6527 G522 G6521 S6 2074	Battery Identification Communication link, telemetry expander EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth® Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for fraxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for fraxxas® iD® batteries) Mount, telemetry expander (fits Stampede® 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Power adapter, AC, USB-C (45W) (110 volt, North America only) Power cable, USB-C, 100W (high output), 5 ft. (1.5m)	3638R 3655P 3655R 3655G 3655T 3655L 9142 5031 5032 5033 5034	Shock tower (rear) (for clipless body mounting) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, orange, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) SIDEROF
6525 Cc 2971 E2 2978 Ft 2053 Gc 2072A Gc 2272 Gc 2272 Gc 2968X Li Tr 6557X M 6535 M 6535 M 6535 M 65552 Gc 6521 Gc 2271 Sc 2074 Sc 2074	Communication link, telemetry expander EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth® Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for fraxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for fraxxas® iD® batteries) Mount, telemetry expander (fits Stampede® 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Power adapter, AC, USB-C (45W) (110 volt, North America only) Power cable, USB-C, 100W (high output), 5 ft. (1.5m)	3655P 3655R 3655G 3655T 3655L 9142 5031 5032 5033 5034	Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, orange, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) SIDGE OF Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
2971 E2 2978 Ft 2073 G 2072A G 2272 G 2968X Li Tr 2968 Li Tr 6557X M 6535 M 6535 M 6519 R 6519 R 6552 G 6526 G 6527 G 6526 S 6527 S 66521 S 6271 S 6274 S 6378 S	EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth® Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for Fraxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Fraxxas® iD® batteries) Mount, telemetry expander (fits Stampede® 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Power adapter, AC, USB-C (45W) (110 volt, North America only) Power cable, USB-C, 100W (high output), 5 ft. (1.5m)	3655G 3655T 3655L 9142 5031 5032 5033 5034	Suspension arms, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, orange, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) SIDGE OFF OII, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
2978 Ft 2053 Gd 2072A GG 2272 Gd 2272 2968X Li Tr 6557X M 6535 M 2912 Pd 65519 Rd 6552 Sd 6527 Sd 6522 Sd 6527 Sd 6521 Sd 2271 Sd 2074 Sd 653	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for Fraxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Fraxxas® iD® batteries) Mount, telemetry expander (fits Stampede® 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal oad Power adapter, AC, USB-C (45W) (110 volt, North America only) Power cable, USB-C, 100W (high output), 5 ft. (1.5m)	3655T 3655L 9142 5031 5032 5033 5034	Suspension arms, orange, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) SIDE (UII Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
2053 G 2072A G 2272 G 22968X Li Tr 2968 Li Tr 6557X M 6535 M pa 2912 Pc 6519 Rc 6552 Sc 6527 Sc 6522 Sc 6521 Sc 2271 Sc 2074 Sc	Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for fraxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for fraxxas® iD® batteries) Wount, telemetry expander (fits Stampede® 2WD) Wount, temperature sensor (electric motors)/ wire tie/ thermal pad Power adapter, AC, USB-C (45W) (110 volt, North America only)	3655L 9142 5031 5032 5033 5034	Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) SIDE (UII Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
2072A G 2272 G 2268X Li Tr 2968 Li Tr 6557X M 6535 M pa 2912 Pc 2916 Pc 6519 Rc 6552 Sc 6527 Sc 6526 Sc 6527 Sc 6521 Sc 6521 Sc 2271 Sc 2074 Sc	Gear set (for 2070, 2075 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for fraxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for fraxxas® iD® batteries) Mount, telemetry expander (fits Stampede® 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Power adapter, AC, USB-C (45W) (110 volt, North America only) Power cable, USB-C, 100W (high output), 5 ft. (1.5m)	9142 5031 5032 5033 5034	Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
2272 G 2968X Li Tr 2968 Li Tr 6557X M 6535 M pa 2912 Pc 6519 Rc 6519 Rc 6552 Sc 6527 Sc 6522 Sc 6527 Sc 6521 Sc 2271 Sc 2074 Sc	Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for Fraxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Fraxxas® iD® batteries) Mount, telemetry expander (fits Stampede® 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Power adapter, AC, USB-C (45W) (110 volt, North America only)	5031 5032 5033 5034	(2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) SIDGE OF Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
2968X Li Tr 2968 Li Tr 6557X M 6535 M 6535 P 2912 P 2916 P 6519 R 6552 S G 6526 S 6527 S 6522 S 6522 S 6521 S 6271 S 6271 S 6271 S 6271 S 6271 S 6374 S 6374	LiPo cell voltage checker/balancer (includes #2938X adapter for Fraxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Fraxxas® iD® batteries) Mount, telemetry expander (fits Stampede® 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Power adapter, AC, USB-C (45W) (110 volt, North America only) Power cable, USB-C, 100W (high output), 5 ft. (1.5m)	5032 5033 5034	#9180, 9181, 9182 upgrade kit) SINCK OT Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
2968 Li Tr 6557X M 6535 M 6535 P 2912 P 2916 P 6519 R 6552 S 6526 S 6527 S 6522 S 6521 S 6271 S 6271 S 6274 S 656	Fraxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Fraxxas® iD® batteries) Mount, telemetry expander (fits Stampede® 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Power adapter, AC, USB-C (45W) (110 volt, North America only) Power cable, USB-C, 100W (high output), 5 ft. (1.5m)	5032 5033 5034	Sinck (0] Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
6557X M 6535 M 6535 M 2912 Pc 2916 Pc 6519 Rc 6552 Sc 6526 Sc 6527 Sc 6522 Sc 6521 Sc 2271 Sc 2074 Sc	Fraxxas® iD® batteries) Mount, telemetry expander (fits Stampede® 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Power adapter, AC, USB-C (45W) (110 volt, North America only) Power cable, USB-C, 100W (high output), 5 ft. (1.5m)	5032 5033 5034	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
6557X M 6535 M pa 2912 P0 2916 P0 6519 R0 6552 S0 6526 S0 6527 S0 6522 S0 6521 S0 2271 S0 2074 S0	Mount, telemetry expander (fits Stampede® 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Power adapter, AC, USB-C (45W) (110 volt, North America only) Power cable, USB-C, 100W (high output), 5 ft. (1.5m)	5033 5034	
6535 M pa	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Power adapter, AC, USB-C (45W) (110 volt, North America only) Power cable, USB-C, 100W (high output), 5 ft. (1.5m)	5034	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
2912 Pc 2916 Pc 6519 Rc 6552 gr 6526 Sc 6527 Sc 6522 Sc 6521 Sc 2271 Sc 2074 Sc	pad Power adapter, AC, USB-C (45W) (110 volt, North America only) Power cable, USB-C, 100W (high output), 5 ft. (1.5m)		
2912 Po 2916 Po 6519 Ro 6552 So 6526 So 6527 So 6522 So 6521 So 2271 So 2074 So	Power adapter, AC, USB-C (45W) (110 volt, North America only) Power cable, USB-C, 100W (high output), 5 ft. (1.5m)	5035	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
2916 Po 6519 Ro 6552 So 97 6526 So 6527 So 6522 So 6521 So 2271 So 2074 So	Power cable, USB-C, 100W (high output), 5 ft. (1.5m)		Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
6552 SG 97 6526 SG 6527 SG 6522 SG 6521 SG 2271 SG 2074 SG	Passiver miera TO 2 40117 (2 shannel)	5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
97 6526 Se 6527 Se 6522 Se 6521 Se 2271 Se 2074 Se	Receiver, micro, TQ 2.4GHz (3-channel)	5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
6526 Sc 6527 Sc 6522 Sc 6521 Sc 2271 Sc 2074 Sc	Seal kit, expander box (includes o-ring, seals, and silicone	5029	Shock oil bottle (60cc) (for mixing shock oil)
6527 Se 6522 Se 6521 Se 2271 Se 2074 Se	grease)	5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
6522 Se 6521 Se 2271 Se 2074 Se	Sensor, auto-detectable, temperature	5038	Spinning carousel rack
6521 Sc 2271 Sc 2074 Sc	Sensor, auto-detectable, voltage	0000	
2271 Se 2074 Se	Sensor, RPM (short)/ 3x4mm BCS (1)/ 3x4mm GS (1)		Shocks (Pro-level Aluminum)
2074 Se	Sensor, temperature and voltage (long) Servo case/ gaskets (for 2270 waterproof servo)	2664	Big Bore shock cylinder (long) (1)
	Servo case/gaskets (for 2056 and 2075 waterproof servos)	5862	Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)
	Servo, digital high-speed, metal gear (ball bearing), waterproof	2660	Big-bore shocks (long) (hard-anodized & PTFE-coated T6
2075 Se	Servo, digital high-torque (ball bearing), waterproof	2000	aluminum) (assembled with TiN shafts) w/o springs (2)
2270 Se	Servo, digital high-torque, metal gear (ball bearing), waterproof	2662	Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6
2075X Se	Servo, digital high-torque, metal gear (ball bearing), waterproof		aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
2056 Se	Servo, high-torque, waterproof (blue case)	2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings
6553X Te	Felemetry Expander 2.0 and GPS module 2.0, TQi radio system		& washers (2) (Big Bore Shocks)
	Felemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
	Felemetry GPS module 2.0, TQi radio system (for use only with	2742X	Rod ends, short (6)/ hollow balls (6)
	#6550X telemetry expander)	2667	Shock caps, aluminum (2) (Big Bore Shocks)
	Felemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/		Shock rebuild kit (for 2 shocks)
	3x8mm CCS (3)/ 3x10mm CCS (3) Felemetry trigger magnet, 5X2mm (1)	1664T 2656T	Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long)
6509R TO	ΓQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link		(2)
	enabled, TSM® (2-ch transmitter, 5-ch micro receiver)	1664	Shock shafts, steel, chrome finish (long) (2)
	FQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro	2656	Shock shafts, steel, chrome finish (xx-long) (2)
	eceiver)	1765	Silicone diaphragms (4)
	Fransmitter, TQ 2.4GHz, 2-channel (transmitter only)	2668	Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore
	Fransmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-		Shocks)
ch	channel (transmitter only)	5860	Springs, front (white) (progressive rate) (2) (for Slash big bore
	Fransmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3- channel (transmitter only)	5859	shocks) Springs, rear (white) (progressive rate) (2) (for Slash big bore
6530 Tr	Fransmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-		shocks)
	channel (transmitter only) Fraxxas® Link Bluetooth® module		Shocks (Ultra Shocks)
	i raxxas⊎ Link Bluetootn⊎ module Nire retainers, gear cover/ 3x4mm BCS (2)	3765A	Body, Ultra Shock (long) (grey) (2)
		3766A	Body, Ultra Shock (XXL) (grey) (2)
36334-4 BI	Rearly-To-Race Model BIGFOOT® No. 1: 1/10 Scale Officially Licensed Replica Monster	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
	Fruck with TQ™ 2.4GHz radio system	2742X	Rod ends, short (6)/ hollow balls (6)
		3767	Shock caps (2)/ shock bottoms (2)
E116A D	Rear Suspension	8361	Shock caps (black) (4) (assembled with hollow balls)
	Rear Suspension	3767A	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
	Ball bearings, black rubber sealed (5x11x4mm) (2)	3767G	Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
	Ball bearings, black rubber sealed (5x11x4mm) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2)		(3. 55 Lilouizou) (7) (iito un 51 d 6110613)
(a	Ball bearings, black rubber sealed (5x11x4mm) (2)	3767T	Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks)

Springs, red (for Ultra Shocks conly) (2.5 rate) (ftr) (2) 1937 19	Page 5	BIGFOOT® No. 1 Officially Licensed Replica: \mathbf{TQ}^{TM}	2.4 GHz	Radio (Model 36334-4) Parts List
Screen price Complete Complete (Complete Complete Com	3767P	Shock cans aluminum (nink-anodized) (4) (fits all Illtra Shocks)	2742	Rod ends, long (6)/ hollow hall connectors (6)
Shoulder servew, Ultra Shocke (bar12) (pt)				
Source shafts, hardened steel, titanium nitride coated (price)				
25 Shock shalth, steek, chrome Briain (long) (2) Shock shalth, steek, chrome Briain (location) (2) Shock shalth (locat	1664T	· · · · · · · · · · · · · · · · · · ·	9142	. , , , ,
Stock shafts, steed, charmer flexin (c.charge) (2) 2637 2638 263	2656T			
Shoulder screws, Uhra Shocks (24/2) (6)** Serving pro-doad spartners (4) will exclude (2) will exclude (3) will be spring pro-doad spacers (4) will exclude (3) will exclude	1664	Shock shafts, steel, chrome finish (long) (2)	3740	
Second algorithmic (1) 2000 2014 2015 2014 2015 201				
Spring pre-lased spacers: Imm (4/2 mm (2)/ xmm (2) x		, , , , ,		
Springs (Front) (2) Spring				
3788 Springs (front) (2) 2798 Springs (front) (2) 2798 Springs (front) (2) 2798 Springs, Blue (front) (2) 2798 Springs, Blue (front) (2) 2798 Springs, Blue (front) (2) 2798 Springs, Dear (front) (2) 2798 Springs, Green (rear) (2) 2797 Springs, Green (rear) (2) 2797 Springs, prink (rear) (2) 2798 Springs, white front) (2) 2798 Little Shocks (plack) (pread) (complete w/ spring pre-load spacers a spring) (rear) (2) 2798 Little Shocks (prey) (cacheg) (complete w/ spring pre-load spacers a spring) (2) 2798 Springs (2) 2798 Springs (2) 2798 Little Shocks (prey) (cacheg) (complete w/ spring pre-load spacers a spring) (2) 2798 Little Shocks (prey) (cacheg) (complete w/ spring pre-load spacers a spring) (2) 2798 Sill pre (Intell) (2) 2799 Springs (2) 2799 Little Shocks (plack) (2) 2799 Little Shocks (pla				, , , , , , , , , , , , , , , , , , , ,
Springs (front) (rolhie) (2) 3788 Springs (front) (rolhie) (2) 3788 Springs, Bule (renal) (2) 3787 Springs, Bule (renal) (2) 3787 Springs, Bule (renal) (2) 3788 Springs, Bule (renal) (2) 3788 Springs, prints (front) (12) 3789 Springs, prints (front) (12) 3787 Springs, prints (front) (12) 3788 Springs, rear (black) (2) 3788 Springs, white (front) (2) 3788 Springs, white (front) (2) 3788 Springs, white (front) (2) 3780 Springs, white (3768		9 3737∆	
Springs, flower (white) (2) 37881 Springs, Stue (rennt) (2) 37881 Springs, Stue (rennt) (2) 37881 Springs, green (roan) (2) 37882 Springs, green (roan) (2) 37873 Springs, green (roan) (2) 37874 Springs, green (roan) (2) 37875 Springs, price (roan) (2) 37876 Springs, price (roan) (2) 37876 Springs, price (roan) (2) 37877 Springs, price (roan) (2) 37878 Springs, price (roan) (2) 3788 Springs, price (roan) (2) 3788 Springs, price (roan) (2) 3789 Springs, roan (roan) (2) 3780 Springs, roan (roan) (2) 3780 Use Springs (roan) (2) 3780 Use Springs (roan) (2) 3780 Use Springs (roan) (2) 3780 Springs (roan) (2) 3780 Use Springs (roan) (2) 3780 Sp	2759		OTOTA	
Syrings, blue (tront) (2) 3787A 3787A 3787B, Springs, blue (tront) (2) 3787A 3788A 3788A 3788A 3788A 3787A 3788A 3788A 3787A 3788A 3				, , , , , ,
Springs, prine (rean) (2)			3738A	
\$776A Springs, green (rend) (2) \$776A Springs, green (rend) (2) \$776P Springs, prink (trend) (2) \$776P Springs, white (front) (2) \$776V Springs, white (front) (2) \$7				
Springs, price (rear) (2) 37597 Springs, price (rear) (2) 37577 Springs, price (rear) (2) 37577 Springs, price (rear) (2) 37578 Springs, rear (related) (2) 37578 Springs, rear (related) (2) 3758 Springs, rear (related) (2) 3759 JUTe Shocks (plack) (long) (complete with spring pre-load spacers (2) 3760 Ultra Shocks (plack) (long) (complete with spring pre-load spacers (2) 3762 Ultra Shocks (plack) (long) (complete with spring pre-load spacers (2) 3762 Ultra Shocks (pre) (xx-long) (complete with spring pre-load spacers (2) 3762 Ultra Shocks (pre) (xx-long) (complete with spring pre-load spacers (2) 3762 Ultra Shocks (pre) (xx-long) (complete with spring pre-load spacers (2) 3762 Ultra Shocks (pre) (xx-long) (complete with spring pre-load spacers (2) 3762 Ultra Shocks (pre) (xx-long) (complete with spring pre-load spacers (2) 3763 Springs) (2) 3764 Ultra Shocks (pre) (xx-long) (complete with spring pre-load spacers (2) 3765 Springs (2) 3765 Springs (2) 3766 Ultra Shocks (pre) (xx-long) (complete with spring pre-load spacers (2) 3767 Ultra Shocks (pre) (xx-long) (complete with spring pre-load spacers (2) 3768 Springs (2) 3769 Ultra Shocks (pre) (xx-long) (complete with spring pre-load spacers (2) 3769 Springs (2) 3	3758A		0707	·
Springs, pink (trott) (2) 3757P Springs, pink (trott) (2) 3758 Springs, red (for Ultra Shocks only) (2.5 rate) (tr) (2) 3758 Springs, what (form) (2) 3758 Springs, what (form) (2) 3758 Springs, what (form) (2) 3759 Ultra Shocks (back) (tool) (complete will spring pre-load spacers & \$ springs) (front) (2) 3760 Ultra Shocks (back) (tool) (complete will spring pre-load spacers & \$ springs) (front) (2) 3760 Ultra Shocks (back) (tool) (complete will spring pre-load spacers & \$ springs) (front) (2) 3760 Ultra Shocks (grey) (ong) (complete will spring pre-load spacers & \$ springs) (front) (2) 3760 Ultra Shocks (grey) (ong) (complete will spring pre-load spacers & \$ springs) (front) (2) 3760 Ultra Shocks (grey) (ong) (complete will spring pre-load spacers & \$ springs) (2) 3760 Ultra Shocks (grey) (ong) (complete will spring pre-load spacers & \$ springs) (2) 3760 Ultra Shocks (grey) (ong) (complete will spring pre-load spacers & \$ springs) (2) 3760 Ultra Shocks (grey) (ong) (complete will spring pre-load spacers & \$ springs) (2) 3760 Ultra Shocks (grey) (ong) (complete will spring pre-load spacers & \$ springs) (2) 3760 Ultra Shocks (grey) (ong) (complete will spring pre-load spacers & \$ springs) (2) 3760 Ultra Shocks (grey) (ong) (complete will spring pre-load spacers & \$ springs) (2) 3760 Ultra Shocks (grey) (ong) (complete will spring pre-load spacers & \$ springs) (2) 3760 Ultra Shocks (grey) (ong) (complete will spring pre-load spacers & \$ springs) (2) 3760 Ultra Shocks (grey) (ong) (complete will spring pre-load spacers & \$ springs) (2) 3761 Ultra Shocks (grey) (ong) (complete will spring pre-load spacers & \$ springs) (2) 3762 Ultra Shocks (grey) (ong) (complete will spring pre-load spacers & \$ springs) (2) 3763 Ultra Shocks (grey) (ong) (complete will spring pre-load spacers & \$ springs) (2) 3764 Ultra Shocks (grey) (ong) (complete will spring pre-load spacers & \$ springs) (2) 3765 Ultra Shocks (grey) (ong) (ong) (spring pre-load spacers & \$ springs) (grey) (grey) (grey) (grey) (grey) (grey) (grey) (grey) (grey) (g	3757A	Springs, green (rear) (2)	3/3/	
37577 Springs, rar (block) (2) Springs, rar (block) (3) Chocks only) (2.5 rato) (ffr) (2) Springs, rar (block) (3) Chocks only) (2.5 rato) (ffr) (2) Springs, rar (block) (3) Chocks only) (2.5 rato) (ffr) (2) Springs, rar (block) (3) Chocks (block) (conjuble with spring pre-load spacers a springs) (front) (2) Springs, white (rear) (2) Ultra Shocks (block) (conjuble with spring pre-load spacers a springs) (front) (2) Chong) (complete with spring pre-load spacers a springs) (rent) (2) Chong) (complete with spring pre-load spacers a springs) (rent) (2) Chong) (complete with spring pre-load spacers a springs) (rent) (2) Chong) (complete with spring pre-load spacers a springs) (rent) (2) Chong) (complete with spring pre-load spacers a springs) (rent) (2) Chong) (complete with spring pre-load spacers a springs) (rent) (2) Chong) (complete with spring pre-load spacers a springs) (rent) (2) Chong) (complete with spring pre-load spacers a springs) (rent) (2) Chong) (complete with spring pre-load spacers a springs) (rent) (2) Chong) (complete with spring pre-load spacers a springs) (rent) (2) Chong) (complete with spring pre-load spacers a springs) (rent) (2) Chong) (complete with spring pre-load spacers a springs) (rent) (2) Chong) (complete with spring pre-load spacers a springs) (rent) (2) Chong) (complete with spring pre-load spacers a springs) (rent) (2) Chong) (complete with spring pre-load spacers a springs) (rent) (2) Chong) (complete with spring pre-load spacers a springs) (rent) (2) Chong) (complete with spring pre-load spacers a springs) (rent) (2) Chong) (complete with spring pre-load spacers a springs) (rent) (2) Chong) (rent) (ren	3758P	Springs, pink (front) (2)		, , , , , , , , , , , , , , , , , , , ,
Springs, red for Uter Shocks only) (2.5 rate) (fir) (2) 37503 37504 37505 3750	3757P	Springs, pink (rear) (2)	3738	
3757X Springs, white (ront) (2) 3760 Ultra Shocks (black) (long) (complete will spring pre-load spacers a springs) (front) (2) 3761 Ultra Shocks (black) (vslong) (complete will spring pre-load spacers a springs) (front) (spring) (front) (front) (spring) (front) (fr		, , ,		(1) (assembled with rod ends & hollow balls) (See part 3741X for
3760 Utra Shocks (back) (complete w/ spring pre-load spacers & springs) (front) (2) 3762 Utra Shocks (back) (back) (cox-long) (complete w/ spring pre-load spacers & springs) (rear) (2) 3763 Utra Shocks (grey) (back) (pox) (complete w/ spring pre-load spacers & springs) (rear) (2) 3764 Utra Shocks (grey) (back) (pox) (complete w/ spring pre-load spacers & springs) (rear) (2) 3765 Utra Shocks (grey) (back) (pox) (complete w/ spring pre-load spacers & springs) (rear) (2) 3766 Utra Shocks (grey) (back) (pox) (complete w/ spring pre-load spacers & springs) (rear) (2) 3767 Utra Shocks (grey) (back) (pox) (complete w/ spring pre-load spacers & springs) (rear) (2) 3768 Utra Shocks (grey) (back) (pox) (complete w/ spring pre-load spacers & springs) (rear) (2) 3769 Utra Shocks (grey) (back) (pox) (complete w/ spring pre-load spacers & springs) (rear) (2) 3769 Utra Shocks (grey) (back) (pox)				,,,
Uttra Shocks (black) (long) (complete w/ spring pre-load spacers 2 springs) (front) (2x) only (complete w/ spring pre-load spacers 8 springs) (rear) (2) Uttra Shocks (black) (xx-long) (complete w/ spring pre-load spacers 8 springs) (rear) (2) Uttra Shocks (grey) (long) (complete w/ spring pre-load spacers 8 springs) (rear) (2) Uttra Shocks (grey) (long) (complete w/ spring pre-load spacers 8 springs) (rear) (2) Uttra Shocks (grey) (long) (complete w/ spring pre-load spacers 8 springs) (rear) (2) Uttra Shocks (grey) (long) (complete w/ spring pre-load spacers 8 springs) (rear) (2) Uttra Shocks (grey) (long) (complete w/ spring pre-load spacers 8 springs) (rear) (2) Uttra Shocks (grey) (long) (complete w/ spring pre-load spacers 8 springs) (rear) (2) Uttra Shocks (grey) (long) (complete w/ spring pre-load spacers 8 springs) (rear) (2) Uttra Shocks (grey) (long) (complete w/ spring pre-load spacers 8 springs) (rear) (2) Uttra Shocks (grey) (long) (complete w/ spring pre-load spacers 8 springs) (rear) (2) Uttra Shocks (grey) (long) (complete w/ spring pre-load spacers 8 springs) (rear) (2) Uttra Shocks (grey) (long) (complete w/ spring pre-load spacers 8 springs) (rear) (2) Uttra Shocks (grey) (long) (complete w/ spring pre-load spacers 8 springs) (rear) (2) Uttra Shocks (grey) (long) (complete w/ spring pre-load spacers 8 springs) (rear) (2) Uttra Shocks (grey) (long) (complete w/ spring pre-load spacers 8 springs) (rear) (2) Springs) (long) (long) (spring (long) (spring) (long) (spring) (long) (l			1937	Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear
3762 Utra Shocks (Jacks (Ixx stong) (complete w/ spring pre-load spacers & springs) (rear) (2) 3760A Utra Shocks (Jacks) (long) (complete w/ spring pre-load spacers & springs) (rear) (2) 3761A Utra Shocks (Jacks) (long) (complete w/ spring pre-load spacers & springs) (rear) (2) 3762A Utra Shocks (Jacks) (long) (complete w/ spring pre-load spacers & springs) (rear) (2) 3762A Utra Shocks (Jacks) (long) (complete w/ spring pre-load spacers & springs) (rear) (2) 3762A Utra Shocks (Jacks) (long) (complete w/ spring pre-load spacers & springs) (rear) (2) 3762B Utra Shocks (Jacks) (long) (complete w/ spring pre-load spacers & springs) (rear) (2) 3763B Utra Shocks (Jacks) (long) (complete w/ spring pre-load spacers & springs) (rear) (2) 3764B Utra Shocks (Jacks) (long) (complete w/ spring pre-load spacers & springs) (rear) (2) 3765B Utra Shocks (Jacks) (long) (complete w/ spring pre-load spacers & springs) (rear) (2) 3765B Utra Shocks (Jacks) (long) (long				,
3760 Ultra Shocks (black) (ox-long) (complete w/ spring pre-load spacers & springs) (rear) (2) 3760 Ultra Shocks (grey) (chog) (complete w/ spring pre-load spacers & springs) (2) 3762 Ultra Shocks (grey) (chog) (complete w/ spring pre-load spacers & springs) (2) 3762 Surgey (chog) (complete w/ spring pre-load spacers & springs) (2) 3763 Ultra Shocks (grey) (chog) (complete w/ spring pre-load spacers & springs) (2) 3764 Surgey (chog) (complete w/ spring pre-load spacers & springs) (2) 3765 Surgey (chog) (complete w/ spring pre-load spacers & springs) (2) 3766 Surgey (chog) (complete w/ spring pre-load spacers & springs) (2) 3767 Rebuild kit, slipper clutch (seled disc friction pads (3) spring (2) pin/ verech. 3765 Surgey (chog) (complete w/ spring pre-load spacers & springs) (2) 3767 Rebuild kit, slipper clutch (seled disc friction pads (3) spring (2) pin/ verech. 3766 Surgey (chog) (complete w/ spring pre-load spacers & springs) (2) 3767 Surgey (chog) (complete w/ spring pre-load spacers & springs) (2) 3767 Surgey (chog) (complete w/ spring pre-load spacers & springs) (2) 3768 Surgey (chog) (complete w/ spring pre-load spacers & springs) (chog) (complete w/ spring pre-load spacers & springs) (chog) (c	3760			
spacers & springs) (rear) (2) 3760A Uirs Shocks (grey) (xx-long) (complete wi spring pre-load spacers & springs) (2) 3762A Uirs Shocks (grey) (xx-long) (complete wi spring pre-load spacers & springs) (2) 3762A Uirs Shocks (grey) (xx-long) (complete wi spring pre-load spacers & springs) (requires Smm aluminum (pre-nondized), toe links, front, springs) (requires Smm aluminum (pre-nondized), camber links, front, springs) (requires Smm aluminum (pre-nondized) (requires Smm aluminum wronch s\$477) (requires Smm aluminum wronch s\$477) (requires Smm aluminum wronch s\$477) (requires Smm aluminum	2762		3741A	
Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (22) Ultra Shocks (grey) (xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx	3/62			
springs) (2) Springs (2)	3760A		23364	
Simple Control Contr	0.00.		2000A	
Simple Flutter Commonents Samm (2), rear, 49mm (2) (assembled wird ends & hollow balls) werench Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wird ends & hollow balls) werench Sipper pressure plate & hold (aluminum alloy) Sipper pressure plate & hold (aluminum alloy) Samm (2), rear, 49mm (2) (assembled wird ends & hollow balls) werench Sipper pressure plate & hold (aluminum alloy) Samm (2), rear, 49mm (2) (assembled wird ends & hollow balls) werench Samm (2), rear, 49mm (2) (assembled wird ends & hollow balls) werench Samm (2), rear, 49mm (2) (assembled wird ends & hollow balls) werench Samm (2), rear, 49mm (2) (assembled wird ends & hollow balls) werench Samm (2), rear, 49mm (2) (assembled wird ends & hollow balls) werench Samm (2), rear, 49mm (2) (assembled wird ends & hollow balls) werench Samm (2), rear, 49mm (2) (assembled wird ends & hollow balls) werench Samm (2), rear, 49mm (2) (assembled wird ends & hollow balls) werench Samm (2), rear, 49mm (2) (assembled wird ends & hollow balls) werench Samm (2), rear, 49mm (2) (assembled wird ends & hollow balls) werench Samm (2), rear, 49mm (2) (assembled wird ends & hollow balls) werench Samm (2), rear, 49mm (2) (assembled wird ends & hollow balls) werench Samm (2), rear, 49mm (2) (assembled wird ends & hollow balls) werench Samm (2), rear, 49mm (2) (assembled wird ends & hollow balls) werench Samm (2), rear, 49mm (2) (assembled wird ends & hollow balls) werench Samm (2), rear, 49mm (2) (assembled wird ends & hollow balls) werench Samm (2), rear, 49mm (2) (assembled wird ends & hollow balls) werench Samm (2), rear, 49mm (2) (assembled wird ends & hollow balls) werench Samm (2), rear, 49mm (2) (assembled wird ends & hollow balls) werench Samm (2), rear, 49mm (2) (assembled wird ends & hollow balls) werench Samm (2), rear, 49mm (2) (assembled wird ends & hollow balls) werench Samm (2), rear, 49mm (2) (assembled wird ends & hollow balls) werench Samm (2),	3762A			
Input shaft (sipper shaft) spring pin		springs) (rear) (2)	3741G	Turnbuckles, aluminum (green-anodized), camber links, front,
Input shaft (elipper shaft), spring pin		Slinner Clutch Components		39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/
Abund kt, sipper clutch (seel disc/ friction pads (3)/ spring (2)/ pin/ Aum Nt. (1)/ 5 0mm Nt. (3793			
4.0mm NL (1)/5.0mm NL (1)) Storews, 3.6mm caphead machine (hex drive) (6) Slipper pressure plate & hub (aluminum alory) Spur Gears adapter, fixed Gear, 16-T pinion (48-pitch) / set screw 2419 Gear, 19-T pinion (48-pitch) / set screw 2419 Gear, 19-T pinion (48-pitch) / set screw 2410 Gear, 21-T pinion (48-pitch) / set screw 2411 Gear, 21-T pinion (48-pitch) / set screw 2412 Gear, 21-T pinion (48-pitch) / set screw 2413 Gear, 21-T pinion (48-pitch) / set screw 2415 Gear, 21-T pinion (48-pitch) / set screw 2416 Gear, 21-T pinion (48-pitch) / set screw 2417 Gear, 21-T pinion (48-pitch) / set screw 2418 Gear, 21-T pinion (48-pitch) / set screw 2419 Gear, 19-T pinion (48-pitch) / set screw 2410 Gear, 21-T pinion (48-pitch) / set screw 2411 Gear, 21-T pinion (48-pitch) / set screw 2412 Gear, 21-T pinion (48-pitch) / set screw 2413 Gear, 21-T pinion (48-pitch) / set screw 2414 Gear, 21-T pinion (48-pitch) / set screw 2415 Gear, pinion (22-bitch) / set screw 2416 Gear, pinion (22-bitch) / set screw 2417 Gear, 31-coth (48-pitch) / set screw 2418 Gear, 31-coth (48-pitch) / set screw 2419 Gear, 31-coth / set screw 2419 Gear, 31-coth / set screw 2420 Gear, 31-coth / set screw 2421 Gear, 31-coth / set screw 2422 Gear, pinion (22-bitch) / set screw 2423 Gear, 21-T pinion (48-pitch) / set screw 2424 Gear, 21-T pinion (48-pitch) / set screw 2425 Spur gear, 78-tooth (48-pitch) / set screw 2426 Spur gear, 78-tooth / set screw 2427 Gear, 31-coth / set screw 2428 Spur gear, 88-tooth / set screw 2429 Spur gear, 88-tooth / set screw 2420 Spur gear, 88-tooth / set screw 2421 Gear, 31-coth / set screw 2422 Set set screw 2423 Set set screw 2424 Sear, 12-set set screw 2425 Spur gear, 88-tooth / set screw 2426 Spur gear, 88-tooth / set screw 2427 Set set screw 2428 Set set screw 2429 Spur gear, 88-tooth / set screw 2429 Spur gear, 88-tooth / set screw 2420 Sear, 18-zet set screw 2421 Sear, 18-zet set set screw 2422 Set set set screw 2423 Set set set set set screw 2424 Set set set screw 2425 Set set set set screw 2426 Set set set set scr			3741T	
Screws, 3x6mm caphead machine (hex drive) (6) Silper pressure plate & hub (Juminum alloy)	000270			
Silpper pressure plate & hub (aluminum alloy) Silput Gears each pick (Parts & Pinion Gears) 3790 Gear adapter, fixed Gear, 16-T pinion (48-pitch) / set screw 2419 Gear, 19-T pinion (48-pitch) / set screw 2421 Gear, 21-T pinion (48-pitch) / set screw 2423 Gear, 21-T pinion (48-pitch) / set screw 24243 Gear, 21-T pinion (48-pitch) / set screw 2425 Gear, pinion (25-botth) (48-pitch) / set screw 2426 Gear, pinion (25-botth) (48-pitch) / set screw 2427 Spur gear, 78-tooth (48-pitch) (for models with Torque Control slipper clutch) Spur gear, 83-tooth (48-pitch) (for models with Torque Control slipper clutch) Spur gear, 83-dooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 83-dooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 80-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 80-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 81-tooth (88-pitch) (for models with Torque-Control slipper clutch) Spur gear, 82-tooth (88-pitch) (for models with Torque-Control slipper clutch) Spur gear, 83-tooth (88-pitch) (for models with Torque-Control slipper clutch) Spur gear, 81-tooth (88-pitch) (for models with Torque-Control slipper clutch) Spur gear, 81-tooth (88-pitch) (for models with Torque-Control slipper clutch) Spur gear, 82-tooth (88-pitch) (for models with Torque-Control slipper clutch) Spur gear, 83-tooth (88-pitch) (for slipper clutch) Spur gear, 83-tooth (88-pitch) (for slipper clutch) Spur gear, 83-tooth (88-pitch) (for slipper clutch) Spur gear, 83-	2554	. , , , , , , , , , , , , , , , , , , ,	3741P	
SILIT Graits & Pinion Graits Gear adapter, fixed Gear, 16-T pinion (48-pitch) / set screw 2419 Gear, 19-T pinion (48-pitch) / set screw 2421 Gear, 12-T pinion (48-pitch) / set screw 2422 Gear, 21-T pinion (48-pitch) / set screw 2423 Gear, 21-T pinion (48-pitch) / set screw 2424 Gear, 21-T pinion (48-pitch) / set screw 2425 Gear, 19-T pinion (48-pitch) / set screw 2426 Gear, 19-T pinion (48-pitch) / set screw 2427 Gear, 19-T pinion (48-pitch) / set screw 2428 Gear, 21-T pinion (48-pitch) / set screw 2429 Gear, 21-T pinion (48-pitch) / set screw 2420 Gear, 21-T pinion (48-pitch) / set screw 2421 Gear, 21-T pinion (48-pitch) / set screw 2422 Gear, 21-T pinion (48-pitch) / set screw 2423 Gear, 21-T pinion (48-pitch) / set screw 2424 Gear, 19-T pinion (48-pitch) / set screw 2425 Gear, pinion (25-tooth) (48-pitch) / set screw 2426 Gear, 19-T pinion (48-pitch) / set screw 2427 Spur gear, 78-tooth (48-pitch) / set screw 2428 Gear, 21-T pinion (48-pitch) / set screw 2429 Spur gear, 78-tooth (48-pitch) / set screw 2420 Spur gear, 98-tooth (48-pitch) / set screw 2421 Gear, 19-T pinion (48-pitch) / set screw 2422 Read and pinion (48-pitch) / set screw 2423 Gear, 19-T pinion (48-pitch) / set screw 2424 Spur gear, 78-tooth / set screw 2425 Spur gear, 78-tooth / set screw 2426 Spur gear, 78-tooth / set screw 2427 Spur gear, 78-tooth / set screw 2428 Spur gear, 78-tooth / set screw 2429 Spur gear, 78-tooth / set screw 2429 Spur gear, 78-tooth / set screw 2420 Spur gear, 78-tooth / set screw 2420 Spur gear, 78-tooth / set screw 2421 Spur gear, 78-tooth / set screw 2422 Spur gear, 78-tooth / set screw 2423 Spur gear, 78-tooth / set screw 2424 Spur gear, 78-tooth / set screw 2425 Spur gear, 78-tooth / set screw 2426 Spur gear, 78-tooth / set screw 2427 Spur gear, 78-tooth / set screw 2428 Spur gear, 78-tooth / set screw 2429 Spur gear, 78-tooth / set screw 2429 Spur gear, 78-tooth / set screw 2420 Spur gear, 78-tooth / set screw 2421 Spur gear, 78-tooth / set screw 2421 Spur gear, 78-tooth / set screw 2421 Spur gear, 78-tooth /	5556	Slipper pressure plate & hub (aluminum alloy)	0/411	
Sear adapter, fixed Gear, 16-T pinion (48-pitch) / set screw 2336X Sear, 18-T pinion (48-pitch) / set screw 2336X Sear, 19-T pinion (48-pitch) / set screw 2336X Sear, 23-T pinion (48-pitch) / set screw 2336X Sear, 23-T pinion (48-pitch) / set screw 3644 Spur gear, 76-tooth (48-pitch) (for models with Torque Control slipper clutch) 3643 Spur gear, 38-tooth (48-pitch) (for models with Torque Control slipper clutch) 3645 Spur gear, 38-tooth (48-pitch) (for models with Torque-Control slipper clutch) 3645 Spur gear, 38-tooth (48-pitch) (for models with Torque-Control slipper clutch) 3645 Spur gear, 38-tooth (48-pitch) (for models with Torque-Control slipper clutch) 3645 Spur gear, 38-tooth (48-pitch) (for models with Torque-Control slipper clutch) 3645 Spur gear, 38-tooth (48-pitch) (for models with Torque-Control slipper clutch) 3645 Spur gear, 38-tooth (48-pitch) (for models with Torque-Control slipper clutch) 3645 Spur gear, 38-tooth (48-pitch) (for models with Torque-Control slipper clutch) 3645 Spur gear, 38-tooth (48-pitch) (for models with Torque-Control slipper clutch) 3645 Spur gear, 38-tooth (48-pitch) (for models with Torque-Control slipper clutch) 3645 Spur gear, 38-tooth (48-pitch) (for models with Torque-Control slipper clutch) 3645 Spur gear, 38-tooth (48-pitch) (for models with Torque-Control slipper clutch) 3645 Spur gear, 38-tooth (48-pitch) (for models with Torque-Control slipper clutch) 3645 Spur gear, 38-tooth (48-pitch) (for models with Torque-Control slipper clutch) 3645 Spur gear, 38-tooth (48-pitch) (for models with Torque-Control slipper clutch) 3645 Spur gear, 38-tooth (48-pitch) (for models with Torque-Control slipper clutch) 3645 Spur gear, 38-tooth		Snur Gears & Pinion Gears		
Same	3700	-	3741X	
Sear, 18-T pinion (48-pitch) / set screw 2336X Gear, 21-T pinion (48-pitch) / set screw 2421 Gear, 21-T pinion (48-pitch) / set screw 3644 2423 Gear, 21-T pinion (48-pitch) / set screw 3644 2424 Gear, 21-T pinion (48-pitch) / set screw 3644 3684 3		·		
2421 Gear, 19-T pinion (48-pitch) / set screw 2422 Gear, 21-T pinion (48-pitch) / set screw 2423 Gear, 23-T pinion (48-pitch) / set screw 2424 Gear, 23-T pinion (48-pitch) / set screw 2425 Gear, 21-T pinion (48-pitch) / set screw 2426 Gear, 23-T pinion (48-pitch) / set screw 2427 Gear, 21-T pinion (48-pitch) / set screw 2428 Gear, 23-T pinion (25-tooth) (48-pitch) / set screw 2429 Gear, 23-T pinion (25-tooth) (48-pitch) / set screw 2429 Gear, 23-T pinion (25-tooth) (48-pitch) / set screw 2420 Spur gear, 26-tooth (48-pitch) / for models with Torque Control slipper clutch) 2480 Spur gear, 38-tooth (48-pitch) / for models with Torque-Control slipper clutch) 2480 Spur gear, 86-tooth (48-pitch) / for models with Torque-Control slipper clutch) 2540 Spur gear, 80-tooth (48-pitch) / for models with Torque-Control slipper clutch) 2541 Spur gear, 90-tooth (48-pitch) / for models with Torque-Control slipper clutch) 2542 Spur gear, 80-tooth (48-pitch) / for models with Torque-Control slipper clutch) 2543 Bushings (plastic) (5x8x2.5mm) (4) 2544 Camber links, front (molded composite) (69mm center to center) (2) (assembled with holiow balls) (for use with #9180 or 9181 upgrade kit) 2544 Turnbuckles, camber links, front (molded composite) (69mm center to center) (2) (assembled with holiow balls) (for use with #9180 or 9181 upgrade kit) 2545 Bushings (plastic) (5x8x2.5mm) (4) 2546 Rod ends (a holiow balls) (fits Stampede®) 2547 Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled with noded composite) (69mm center to center) (2) (assembled with noded composite) (69mm center to center) (2) (assembled with holiow balls) (fits Stampede®) 2548 Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled with noded composite) (69mm center to center) (2) (assembled with holiow balls) (fits Stampede®) 255 Camber links, front (molded composite) (69mm center to center) (2) (assembled with noded composite) (69mm center to center) (2) (assembled with holiow balls) (fits Stampede®) 256 Camber links, front (molded				,
Gear, 21-T pinion (48-pitch) / set screw Gear, pinion (28-pitch) / set screw Gear, pinion (28-pitch) / set screw Gear, pinion (28-pitch) (48-pitch) (for models with Torque Control Slipper clutch) Gear pinion (28-pitch) (for models with Torque Control Slipper clutch) Gear pinion (28-pitch) (for models with Torque Control Slipper clutch) Gear pinion (28-pitch) (for models with Torque-Control Slipper clutch) Gear pinion (28-pitch) (for models with Torque-Control Slipper clutch) Gear pinion (28-pitch) (for models with Torque-Control Slipper clutch) Gear pinion (48-pitch) (for models with Torque-Control Slipper clutch) Gear pinion (48-pitch) (for models with Torque-Control Slipper clutch) Gear pinion (48-pitch) (for models with Torque-Control Slipper clutch) Gear pinion (48-pitch) (for models with Torque-Control Slipper clutch) Gear pinion (48-pitch) (for models with Torque-Control Slipper clutch) Gear pinion (48-pitch) (for models with Torque-Control Slipper clutch) Gear pinion (48-pitch) (for models with Torque-Control Slipper clutch) Gear pinion (48-pitch) (for models with Torque-Control Slipper clutch) Gear pinion (48-pitch) (for models with Torque-Control Slipper clutch) Gear pinion (48-pitch) (for models with Torque-Control Slipper clutch) Gear pinion (48-pitch) (for models with Torque-Control Slipper clutch) Gear pinion (48-pitch) (for models with Torque-Control Slipper clutch) Gear pinion (48-pitch) (for models with Torque-Control Slipper clutch) Gear pinion (48-pitch) (for models with Torque-Control Slipper clutch) Gear pinion (48-pitch) (for models with Torque-Control Slipper clutch) Gear pinion (48-pitch) (for models with Torque-Control Slipper clutch) Gear pinion (48-pitch) (for models with Torque-Control Slipper clutch) Gear pinion (48-pitch) (for models with Torque-Control Slipper clutch) Gear pinion (48-pitch) (for models with Torque-Control Slipper clutch) Gear pinion (48-pitch) (for models with Torque-Control Slipper clutch) Gear pinion (48			2336X	
2423 Gear, 23-T pinloin (48-pitch) (fits 3mm shaft) set screw 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) 1 right) 1 right 1 r		· · · · · · · · · · · · · · · · · · ·		
4676 Spur gear, 75-tooth (48-pitch) (for models with Torque Control slipper clutch) 4683 Spur gear, 75-tooth (48-pitch) (for models with Torque Control slipper clutch) 4686 Spur gear, 85-tooth (48-pitch) (for models with Torque-Control slipper clutch) 4686 Spur gear, 85-tooth (48-pitch) (for models with Torque-Control slipper clutch) 4686 Spur gear, 85-tooth (48-pitch) (for models with Torque-Control slipper clutch) 4690 Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) 4690 Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) 4690 Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) 4690 Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) 4690 Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) 4690 Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) 4690 Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) 4690 Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) 4690 Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) 4690 Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) 4690 Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) 4690 Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) 4690 Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) 4690 Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) 4690 Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) 4690 Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) 4690 Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) 4690 Spur gear, 90-tooth (48-pitch) (for seal with Torque-Control slipper clutch) 4690 Spur gear, 90-tooth (48-pitch) (for seal with 9180 or 9181 upgrade kit) 4691 Turnbuckles, tealing the part of t			3644	` '
Spur gear, 76-tooth (48-pitch) (for models with Torque Control slipper clutch) Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 85-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 90-tooth (48-pitch) (for space with \$9180 or 9181 upgrade (it) Span gear (and year and	4725	Gear, pinion (25-tooth) (48-pitch) / set screw	••••	
Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 89-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 99-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 99-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 99-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 99-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 99-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 99-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 99-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 99-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 99-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 99-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 99-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 99-tooth (48-pitch) (for models with FSF37) Decal sheet, racing sponsors Duffel bag, medium, 30" x 12" x 12" (fits TRX-4 & similar) Official Team Traxxas® racing geal est(flag logo/ 6-color) Traxxas® racing geal est(flag logo/ 6-color) Traxxas® racing banner, red & black (3x7 feet) Traxxas® racing banner, red & black (3x7 feet) Spun geals (5x11x4mm) (2) Spun geals (5x11x4mm) (2x11x4mm) (2x	4676	Spur gear, 76-tooth (48-pitch) (for models with Torque Control	3643	
slipper clutch) 4686 Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch) 4690 Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) Starfill Colling Comber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) 2742 Rod ends, long (6) hollow ball connectors (6) 1844X Servo saver w/ adapters 1747 Sasson Saver w/ adapters 1748 Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled wir hollow balls) (firs Stampede®) 1747 Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled with rod ends & hollow balls) (fits Stampede®) 1747 Turnbuckles, aluminum wrench #5477) 1748 Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) 1749 Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) 1740 Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) 1741 Turnbuckles, aluminum wrench #5477) 1742 Sasson bled with rod ends & hollow balls) (fits Stampede®) 1744 Turnbuckles, aluminum wrench #5477) 1745 Turnbuckles, aluminum wrench #5477) 1746 Turnbuckles, aluminum wrench #5477) 1747 Turnbuckles, aluminum wrench #5477) 1748 Sasson bled with rod ends & hollow balls) (fits Stampede®) 1749 Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) 1740 Sasson bled with hollow balls) (for use with #9180 or 9181 upgrade kit) 1741 Turnbuckles, aluminum wrench #5477) 1742 Sasson bled with rod ends & hollow hollow hollow hollow hollow hollow hollow hollow hollow		• • • • • • • • • • • • • • • • • • • •		(assembled with rod ends and hollow balls) (1 left, 1 right)
Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) Stepring Comber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Servo saver w adapters Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled with rod ends & hollow balls) (fits Stampede®) Turnbuckles, aluminum wrench #5477) Turnbuckles, aluminum wren	4683		3645	
slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) Steetill Commitments Steetill Commitments Bushings (plastic) (5x8x2.5mm) (4) 9950 9950 9950 9950 9950 9950 9950 995	4000	•• •		
Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) Stepring Committee Step Sushings (plastic) (5x8x2.5mm) (4) 2545 Bushings (plastic) (5x8x2.5mm) (4) 9950 Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) 2742 Rod ends, long (6) hollow ball connectors (6) 81844X Servo saver w/ adapters Toe links (molded composite) (96mm center to center) (2) (assembled with hollow balls) (for use with #9180 ungrade kit) 70e links (molded composite) (96mm center to center) (2) (assembled with hollow balls) (for use with #9180 ungrade kit) 7147P Nuts, 4mm flanged nylon locking (steel, serrated) (8) 8236X Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477) 82336X Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477) 82336X Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477) 8236X Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477) 8236X Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477) 8236X Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (2) (assembled with rod ends & hollow balls) (fits Stampede®) (7477 Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated	4686			Team Traxxas Items
Stepting Common content (or part) (first stampedee) Serve saver w/ adapters Turnbuckles, 78mm (2) 2336A Turnbuckles, 78mm (2) 2336A Turnbuckles, 78mm aluminum wrench #5477) (assembled wirt notlow balls) (first stampedee) (requires 5mm aluminum wrench #5477) (20) (20) (20) (20) (20) (20) (20) (20)	4690		9916	Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)
Signilary Signilary Sushings (plastic) (5x8x2.5mm) (4) 9950 Sushings (plastic) (5x8x2.5mm) (4) 9950 Gamber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Servo saver wi adapters Toe links (molded composite) (96mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Savo saver wi adapters Toe links (molded composite) (96mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Turnbuckles, Ramm (2) Turnbuckles, Ramm (2) Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Silicone Grease Stub axle pins (4) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (electric rear) (2) (TSM® rate) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (clastic rear) (2) (TSM® rate) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (clastic rear) (2) (TSM® rate) Tires & wheels, assembled, glued (2.8") (All-Star black chro	4000	1 0 / 1 /1		Decal sheet, racing sponsors
Start Sushings (plastic) (5x8x2.5mm) (4)				· · · · · · · · · · · · · · · · · · ·
Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Rod ends, long (6)/ hollow ball connectors (6) Servo saver w/ adapters Toe links (molded composite) (96mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Page 336 Turnbuckles, 78mm (2) Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (2)(assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (2)(assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (2)(assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (2)(assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (2)(assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (2)(assembled with rod ends & hollow balls) (fits Stampede®) (74777 Turnbuckles, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) Nuts, aluminum,	0545		l	•
(assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) 2742 Rod ends, long (6)/ hollow ball connectors (6) 1844X Servo saver w/ adapters 1675 Ball bearings, blue rubber sealed (5x11x4mm) (2) 1675 Bushings, self-lubricating (5x11x4mm) (14) 1675 Bushings (self-lubricating (5x11x4mm) (14) 1676 Bushings				• • • • • • • • • • • • • • • • • • • •
Rod ends, long (6)/ hollow ball connectors (6) 2742 Rod ends, long (6)/ hollow ball connectors (6) 2742 Servo saver w/ adapters Servo saver w/ adapters 1844X Servo saver w/ adapters 1844A Servo saver w/ adapters 1844A Servo saver w/ adapters 184689 Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pred-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrat	9195		9909	
2742 Rod ends, long (6)/ hollow ball connectors (6) 1844X Servo saver w/ adapters 1675 Ball bearings, blue rubber sealed (5x11x4mm) (2) 1844X Servo saver w/ adapters 1675 Bushings, self-lubricating (5x11x4mm) (14) 1878 Toe links (molded composite) (96mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) 1747 Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) 1747 Nuts, 4mm flanged nylon locking (steel, serrated) (8) 1747 Nuts, 4mm nylon locking (10) 1747 Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) 1747 Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) 1747 Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) 1747 Nuts, aluminum, flanged, serrated (4mm) (requires 5mm aluminum wrench #5477) 1747 Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) 1747 Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) 1748 Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) 1749 Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) 1740 Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) 1740 Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) 1741 Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) 1741 Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) 1742 Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) 1744 Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) 1745 Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) 1745 Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) 1746 Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) 1747 Nuts, aluminum, flanged, serrated (4mm) (red-		, , , , , , , , , , , , , , , , , , , ,		Tires & Wheels
Servo saver w/ adapters Toe links (molded composite) (96mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Turnbuckles, 78mm (2) Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (assembled with rod ends & hollow balls) (fits Stampede®) (2) (assembled with rod ends & hollow balls) (fits Stampede®) (2) (assembled with rod ends & hollow balls) (fits Stampede®) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) P194 Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball P194 Servo saver w/ adapters 1675 Bushings, self-lubricating (5x11x4mm) (14) Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (r	2742	•	5116	
Toe links (molded composite) (96mm center to center) (2) (assembled 5854 with hollow balls) (for use with #9180 upgrade kit) Turnbuckles, 78mm (2) Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (assembled with rod ends & hollow balls) (fits Stampede®) (2) (assembled with rod ends & hollow balls) (fits Stampede®) (2) (assembled with rod ends & hollow balls) (fits Stampede®) (2) (assembled with rod ends & hollow balls) (fits Stampede®) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) P194 Rod ends (16 long & 4 short)/ hollow balls (or use with #9180 upgrade kit) Rod ends (16 long & 4 short)/ hollow balls (connectors (18)/ ball) To links (molded composite) (96mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469) Nuts, 4mm flanged nylon locking (sleuel, serrated) (8) Nuts, 4mm flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) Nuts,				, , ,
with hollow balls) (for use with #9180 upgrade kit) Turnbuckles, 78mm (2) Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (assembled with rod ends & hollow balls) (fits Stampede®) (2) (assembled with rod ends & hollow balls) (fits Stampede®) (2) (assembled with rod ends & hollow balls) (fits Stampede®) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) P194 Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball #6469) Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orang		·		Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X,
Turnbuckles, Rymm (2) Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (assembled with rod ends & hollow balls) (fits Stampede®) (2) (assembled with rod ends & hollow balls) (fits Stampede®) (2) (assembled with hollow balls) (fits Stampede®) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Page 1994 Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Page 1994 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball Page 2006 Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (10) Nuts, 4luminum, flanged, serrated (4mm) (prean-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (prean-anodized) (4) Nuts, aluminum, flanged,				
(assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477) 2336X Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477) 1747 1747 Nuts, 4mm nylon locking (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized)	2336	· · · · · · · · · · · · · · · · · · ·		
(requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477) SISIPISION Links Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pred-anodized) (4) Nuts, aluminum, flanged, serrated (4mm)	2336A			
Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477) SISICISION LINE (9) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (electric rear) (2) (TSM® rated) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, assembled, glued (2.8") (All-Star black chrome rated)		, , , , , , , , , , , , , , , , , , , ,		
(2)(assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477) SISTEMBION LIMICALE Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, assembled, glued (2.8") (All-Star black chrome rated) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, assembled, glued (2.8") (All-Star black chrome rated)	22267	· ·		
1747A 1747	∠აახ⊼			
9195 Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) 9194 Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball 9195 Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball 1945 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Silicone Grease Stub axle pins (4) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (electric rear) (2) (TSM® rated) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, assembled, glued (2.8") (All-Star black chrome rated)				
Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball Silicone Grease Stub axle pins (4) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (electric rear) (2) (TSM® rated) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, assembled, glued (2.8") (All-Star black chrome rated)				
Stub axle pins (4) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) 9194 Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball Stub axle pins (4) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (electric rear) (2) (TSM® rated) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, assembled, glued (2.8") (All-Star black chrome rated)		<u> </u>		. , , , , , , , , , , , , , , , , , , ,
kit) 9194 Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (electric rear) (2) (TSM® rated) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, assembled, glued (2.8") (All-Star black chrome rated)	9195			
Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball 3668A wheels, paddle tires, foam inserts) (electric rear) (2) (TSM® rated) Tires & wheels, assembled, glued (2.8") (All-Star black chrome		, , , , , , , , , , , , , , , , , , , ,		
(assembled with hollow balls) (for use with #9180 upgrade kit) 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball 3668A Tires & wheels, assembled, glued (2.8") (All-Star black chrome	0104	•	0000	
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball 3668A Tires & wheels, assembled, glued (2.8") (All-Star black chrome	J 1 J T			
` ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	1942	, , , , , , , , , , , , , , , , , , , ,	3668A	
		screws (2)		wheels, Talon tires, foam inserts) (electric rear) (2) (TSM® rated)

Page 6 BIC	GFOOT® No. 1 Off	ficially Licensed Re	plica: TQ™ 2.4 G	Hz Radio (Model	l 36334-4) Parts List
------------	------------------	----------------------	------------------	-----------------	-----------------------

3669A	Tires & wheels, assembled, glued (2.8") (All-Star black chrome	5556	Slipper pressure plate & hub (aluminum alloy)
000071	wheels, Talon tires, foam inserts) (nitro rear/electric front) (2)	3195	Top drive gear, steel (22-tooth)
	(TSM® rated)	3695	Transmission, complete (fits 1/10-scale 2WD Rustler®, Bandit®,
3668	Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Talon tires, foam inserts) (electric rear) (2)		Stampede®, Slash®)
3669	Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels,		Traxxas Tools
	Talon tires, foam inserts) (nitro rear/electric front) (2)	3433X	Body reamer (aluminum handle)
3773A	Tires & wheels, assembled, glued (All Star black chrome wheels,	3433 3436	Body reamer (plastic handle) Cap, body reamer
3773	Anaconda® tires, foam inserts) (electric rear) (1 left, 1 right) Tires & wheels, assembled, glued (All Star chrome wheels,	3432	Scissors, curved tip
0770	Anaconda® tires, foam inserts) (electric rear) (1 Left, 1 Right)	3431	Scissors, straight tip
3776A	Tires & wheels, assembled, glued (All-Star black chrome wheels,	8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes
	Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1		premium handle (medium), travel pouch, hex drivers (straight:
5576R	right) Tires & wheels, assembled, glued (All-Star chrome wheels,		1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
337 010	Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1	8720	Speed bit handle, large (overmolded)
	right)	8721	Speed bit handle, medium (one piece)
6792	Tires & wheels, assembled, glued (black 2.8" wheels,	8722	Speed bit handle, premium (rubber overmold)
3778	Sledgehammer® tires, foam inserts) (2) (TSM® rated) Tires & wheels, assembled, glued (black 2.8" wheels,	8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes
3770	Sledgehammer® tires, foam inserts) (electric rear) (2) (TSM®		premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm,
	rated)		3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm,
3663X	Tires & wheels, assembled, glued (chrome wheels, Terra Groove dual		8.0mm), 1/4" drive
00051/	profile tires, foam inserts) (electric rear) (2)	8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end,
3665X	Tires & wheels, assembled, glued (chrome wheels, Terra Groove dual profile tires, foam inserts) (nitro rear/ electric front) (2)		includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm,
3663	Tires & wheels, assembled, glued (satin chrome wheels, Terra		2.5mm, 3.0mm), 1/4" drive
	Groove dual profile tires, foam inserts) (electric rear) (2)	8719	Speed Bit Master Set, nut driver, 6-piece, includes premium
3665	Tires & wheels, assembled, glued (satin chrome wheels, Terra		handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm,
	Groove dual profile tires, foam inserts) (nitro rear/ electric front)	0740	5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
5578	(2) Tires, Anaconda® 2.8" (2)/ foam inserts (2)	8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
1870	Tires, Sledgehammer® terra-spiked (2)	8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm,
4790R	Tires, Spiked 2.2 (R(2) (Soft Compound) w/inserts		3.0mm) 1/4" drive
3671	Tires, Talon 2.8" (2)/ foam inserts (2)	8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm,
3667	Tires, Terra Groove (dual profile 5.3"x2.7"- 2.0") (2)/ foam inserts (2)	07457	2.5mm), 1/4" drive
3654	Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x12mm) (2)	8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
1654 5853X	Wheel hubs, hex (rear) (2)/ stub axle pins (2)	8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1
3033X	Wheel hubs, splined, 17mm, short (2), long (2) (blue-anodized) / wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X		Phillips, and #2 Phillips bits), 1/4" drive
	0.7 (4)/ axle pin (4) (Slash 2WD)	2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench /
5353	Wheel nuts, splined, 17mm (blue-anodized) (4)		2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint
5480X	Wheel wrench, splined, 17mm	3415	wrench) Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,
5576	Wheels, All Star 2.8" (chrome) (2) (Rustler/Stampede front)	0410	3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut
3772A 5576A	Wheels, All-Star 2.8" (black chrome) (electric rear) Wheels, All-Star 2.8" (black chrome) (nitro rear / electric front) (2)		drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips,
3770A 3772	Wheels, All-Star 2.8" (chrome) (Rustler®, Stampede® rear only)		#0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm
3672	Wheels, chrome (2.2") (rear) (2)		wrenches/ driver handle)
3673	Wheels, chrome 2.2" (front) (2)		Turnbuckles & Threaded Rods
3674	Wheels, dyable nylon 2.2" (rear) (2)	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball
3675	Wheels, dyeable nylon 2.2 (front) (2)	5525R	screws (2) Rod ends, heavy duty (Jato®/Slayer) (8)
3774 5572	Wheels, Jato® Twin-Spoke 2.8" (chrome) (electric rear) (2) Wheels, Jato® twin-spoke 2.8" (chrome) (rear) (2)	2742	Rod ends, long (6)/ hollow ball connectors (6)
3372		5347	Rod ends, Revo® (large) with hollow balls (12)
	Transmission Components	2742X	Rod ends, short (6)/ hollow balls (6)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm
3792 5478	Cover, gear/ rubber gear cover plug/ 3x6 RM (2) Flat wrench, 8mm (blue anodized aluminum)		(1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for
3476 3790	Gear adapter, fixed	3738A	complete camber link set) Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm
3691	Gearbox halves (L&R) (black) w/ idler gear shaft	3. 3074	(1) (assembled with rod ends & hollow balls) (See part 3741X for
3691A	Gearbox halves (L&R) (grey) w/ idler gear shaft		complete camber link set)
5148	Grease, white lithium	3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm
9492	Idler gear, 30-tooth/ idler gear shaft (steel)		(1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set)
3696 9494	Idler gear, steel (30-tooth) Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits	3738	Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm
J-34	Bandit®, Rustler®, Stampede®, Slash® 2WD)	-	(1) (assembled with rod ends & hollow balls) (See part 3741X for
3793	Input shaft (slipper shaft) / spring pin		complete camber link set)
2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit,	1937	Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear
4550	Stampede®, Rustler®)	2336	camber links) Turnbuckles, 78mm (optional rear camber rods) (2)
1552	Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench	3741A	Turnbuckles, aluminum (blue-anodized), camber links, front,
2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel	-	39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/
2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit,		wrench
	Stampede®, Rustler®)	2336A	Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2)
9495	Pro Series Magnum 272R™ Transmission, complete (assembled)		(assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
5550V	(fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)	3741G	Turnbuckles, aluminum (green-anodized), camber links, front,
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))		39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/
2554	Screws, 3x6mm caphead machine (hex drive) (6)	0744	wrench
3185X	Screws, 3x8mm washerhead machine (large head for motor mount)	3741T	Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/
	(6) Silicone Grease		wrench
1647			

Page 7 BIGFOOT® No. 1 Officially Licensed Replica: TQ™ 2.4 GHz Radio (Model 36334-4) Parts List

3741P	Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3741X	Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
2336X	Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
3645	Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM