



# Rustler® VXL (Model 37076-74) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

## Bearings & Bushings

- 4607 Ball bearings (5x11x4mm) (8)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5114 Ball bearings, blue rubber shield (5x8x2.5mm) (2)**
- 3934 Body clips, heavy duty (12)
- 2545 Bushings (plastic) (5x8x2.5mm) (4)
- 1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)

## Body & Accessories

- 1926 Antenna caps, vinyl (2)/ antenna spool**
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)**
- 1834 Body Clips (12) (standard size)
- 1914R Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware
- 3614 Body mounts (front & rear)**
- 1815 Body washers (8)
- 6716 Body Washers, Foam, 2mm/3mm/4mm**
- 3750X Body, Rustler® (also fits Rustler® VXL), blue (painted, decals applied, assembled with wing)**
- 3750G Body, Rustler® (also fits Rustler® VXL), green (painted, decals applied, assembled with wing)**
- 3750T Body, Rustler® (also fits Rustler® VXL), orange (painted, decals applied, assembled with wing)**
- 3750 Body, Rustler® (also fits Rustler® VXL), red & black (painted, decals applied, assembled with wing)**
- 3750R Body, Rustler® (also fits Rustler® VXL), red (painted, decals applied, assembled with wing)**
- 3714 Body, Rustler® (clear, requires painting)/window, lights decal sheet/ wing and aluminum hardware**
- 3726G Body, Rustler® VXL, green (painted, decals applied)**
- 3726T Body, Rustler® VXL, orange (painted, decals applied)**
- 3726L Body, Rustler® VXL, ProGraphix® (graphics are printed, requires paint & final color application)/ decal sheet**
- 3719 Body, Rustler® VXL, ProGraphix® (replacement for the painted body. Graphics are printed, requires paint & final color application)/decal sheet/ wing and aluminum hardware**
- 3726 Body, Rustler® VXL, red (painted, decals applied)**
- 3750L Body, Rustler®, ProGraphix® (graphics are printed, requires paint & final color application)/ wing/ decal sheet**
- 2514 Decal sheet, racing sponsors
- 3713R Decal sheets, Rustler® VXL

## Chassis & Attachments

- 9463X Axle, wheelie bar, 6061-T6 aluminum (blue-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
- 9463 Axle, wheelie bar, 6061-T6 aluminum (gray-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
- 9463G Axle, wheelie bar, 6061-T6 aluminum (green-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
- 9463A Axle, wheelie bar, 6061-T6 aluminum (orange-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
- 9463P Axle, wheelie bar, 6061-T6 aluminum (pink-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
- 9463R Axle, wheelie bar, 6061-T6 aluminum (red-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
- 3725X Battery expansion kit (allows for installation of taller multi-cell battery packs) (Rustler®, Bandit, Stampede®)**
- 3727 Battery hold-down plate (black)/ metal posts (2)/body clips (2)**
- 3727A Battery hold-down plate (grey) / metal posts (2) / body clips (2)
- 3628 Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)
- 2735 Bumper (front)
- 2735P Bumper (front) (pink)**
- 3728 Lower chassis (black) (166mm long battery compartment) (fits both flat and hump style battery packs)**
- 3722X Lower chassis (black) (166mm long battery compartment) (fits both flat and hump style battery packs)(use only with #3725R ESC mounting plate)**
- 3728A Lower chassis (gray) (166mm long battery compartment) (fits both flat and hump style battery packs)
- 3722R Lower chassis (grey) (166mm long battery compartment) (fits both flat and hump style battery packs) (use only with #3725R ESC mounting plate)**
- 3725R Mounting plate, electronic speed control (for installation of XL-5/VXL into Bandit or Rustler®)
- 3629 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
- 9462X Side plates, wheelie bar, blue (aluminum) (2)**
- 9462 Side plates, wheelie bar, charcoal gray (aluminum) (2)**
- 9462G Side plates, wheelie bar, green (aluminum) (2)**

- 9462A Side plates, wheelie bar, orange (aluminum) (2)**
- 9462P Side plates, wheelie bar, pink (aluminum) (2)**
- 9462R Side plates, wheelie bar, red (aluminum) (2)**
- 5185 Tires, rubber (2) (fits Traxxas® wheelie bar wheels)**
- 3723 Upper chassis (black)**
- 3729 Upper chassis (black)**
- 3729A Upper chassis (gray)
- 3723A Upper chassis (grey)**
- 4974 Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
- 9464 Wheelie bar mount (heavy duty)
- 3650 Wheelie bar mount w/ LED housings (for use with #9495 Magnum 272R™ transmission) (requires light kit #3794 (2WD Rustler or Bandit) or #3694 (2WD Stampede), or #3795 light harness and #2263 BEC Y-harness (2WD Rustler, Bandit, or Stampede)**
- 3678 Wheelie bar, assembled (black) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
- 3678X Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit series)**
- 3678A Wheelie bar, assembled (green) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
- 3678T Wheelie bar, assembled (orange) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
- 3678P Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series)**
- 3678R Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
- 9460 Wheelie bar, black (assembled)/ wheelie bar mount
- 9460X Wheelie bar, black chrome (assembled)/ wheelie bar mount**
- 4976 Wheels (4)/ Axles (2), for Maxx® Wheelie Bar
- 5186A Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
- 5186 Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
- 9461X Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
- 9461T Wheels, wheelie bar, 6061-T6 aluminum (gray-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
- 9461G Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
- 9461A Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
- 9461P Wheels, wheelie bar, 6061-T6 aluminum (pink-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
- 9461R Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
- 9461 Wheels, wheelie bar, black (26mm (2), 18mm (2))**

## Differential Components

- 9480A Differential assembly (complete) (fits Pro Series Magnum 272R™ Transmission)
- 9482 Differential gasket/ x-rings (2)
- 9481 Differential with steel ring gear/ side cover plate/ gasket/ x-rings (2)/ 2.5x10mm BCS (4)
- 2380 Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®)**
- 9492 Idler gear, 30-tooth/ idler gear shaft (steel)
- 2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
- 9483 Output gears, differential (2)
- 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
- 2388X Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
- 5169 Screws, 2.6x8mm countersunk machine (6) (EZ Start 2 motor)
- 1647 Silicone Grease

## Driveline Components

- 4628R Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2)
- 4628X Differential output yokes, hardened steel (w/ U-joints) (2)**
- 6828X Differential output yokes, heavy duty (2)/ screw pin (2)**
- 1951R Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2) (fits 2WD Rustler®/Stampede®)**
- 1953 Half shaft pro-pack (internal-splined (6)/ external-splined (6) (plastic shafts only)**
- 6752 Half shaft, external splined (steel-spline constant velocity) (1) (fits 2WD Rustler®/Stampede®)**
- 6751 Half shaft, internal splined (steel-spline constant velocity) (1)**

**Page 2 Rustler® VXL: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 37076-74) Parts List**

- 6850X Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4)
- 1951 Half shafts, long truck (external-splined (2) & internal-splined (2)/ metal U-joints (4))
- 6757 Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)
- 3752 Stub axle carriers (2) (requires 5x11x4mm bearings)
- 3652A Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
- 3652G Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
- 3652T Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)
- 3652P Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
- 3652X Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
- 2754 Stub axle pins (4)
- 6753 Stub axle, rear, steel-splined constant velocity (1)
- 2753X Stub axles, rear (2)
- 6853X Stub axles, rear, heavy duty (2)/pins (2)

**Front Suspension & Steering**

- 2537 3mm threaded rods: 1 each of 20mm,25mm&44mm
- 3637 Axles (front) (2)
- 2530 Bulkhead (front) (black)
- 2530A Bulkhead (front) (grey)
- 2545 Bushings (plastic) (5x8x2.5mm) (4)
- 3632 Caster blocks (l&r) (30-degree)
- 3632A Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
- 3632G Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
- 3632T Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
- 3632P Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
- 3632X Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
- 5525R Rod ends, heavy duty (Jato®/Slayer) (8)
- 5347 Rod ends, Revo® (large) with hollow balls (12)
- 3646 Screws, 3x15mm flat-head machine (hex drive) (6)
- 3744 Servo saver w/ adapters
- 3639 Shock tower (front)
- 3736 Steering blocks, left & right (2) (requires 5x11x4mm bearings)
- 3636A Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
- 3636G Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
- 3636T Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)
- 3636P Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
- 3636X Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
- 3631 Suspension arms (front) (2)
- 3631X Suspension arms, black, front, heavy duty (2)
- 3631A Suspension arms, blue, front, heavy duty (2)
- 3631G Suspension arms, green, front, heavy duty (2)
- 3631T Suspension arms, orange, front, heavy duty (2)
- 3631R Suspension arms, red, front, heavy duty (2)
- 2640 Suspension pins, 44mm (2) w/ E-clips
- 3640 Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)
- 2532 Tie bar, fiberglass
- 3741A Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
- 3139A Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (fits Rustler) (requires 5mm aluminum wrench #5477)
- 3741G Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
- 3139G Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 3741T Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
- 3139T Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)

- 3741P Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
- 3139P Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
- 3139X Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

**Hardware**

- 1926 Antenna caps, vinyl (2)/ antenna spool
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 1834 Body Clips (12) (standard size)
- 3934 Body clips, heavy duty (12)
- 4859 CS 3x10 flathead (hex drive)
- 1589 Double-sided adhesive tape (25mm x 25mm)
- 1633 E-clips/ C-rings
- 2745 Nuts, 3mm nylon locking (12)
- 1747P Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
- 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
- 1747 Nuts, 4mm nylon locking (10)
- 1747R Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
- 1747G Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
- 1747T Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
- 1747A Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
- 1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
- 5525 Rod ends (12)/ hollow balls (12)
- 5347 Rod ends, Revo® (large) with hollow balls (12)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3347 Screws, 2.5x5mm button-head machine (hex drive) (6)
- 3215 Screws, 2.5x6mm cap-head machine (hex drive) (6)
- 2577 Screws, 3x10mm button-head machine (hex drive) (6)
- 2578 Screws, 3x12mm button-head machine (hex drive) (6)
- 2552 Screws, 3x12mm countersunk machine (6) (hex drive)
- 2579 Screws, 3x15mm button-head machine (hex drive) (6)
- 2586 Screws, 3x15mm cap-head machine (hex drive) (6)
- 3646 Screws, 3x15mm flat-head machine (hex drive) (6)
- 2583 Screws, 3x18 button-head machine (hex drive) (6)
- 2580 Screws, 3x20mm button-head machine (hex drive) (6)
- 2591 Screws, 3x23mm button-head machine (hex drive) (6)
- 2582 Screws, 3x30mm button-head machine (hex drive) (6)
- 2592 Screws, 3x40mm button-head machine (hex drive) (6)
- 2575 Screws, 3x6mm button-head machine (hex drive) (6)
- 3932 Screws, 3x6mm flat-head machine (hex drive) (6)
- 2576 Screws, 3x8mm button-head machine (hex drive) (6)
- 3931 Screws, 3x8mm flat-head machine (hex drive) (6)
- 3937 Screws, 4x12mm button-head machine (hex drive) (6)
- 2542 Screws, 4x12mm countersunk machine (hex drive) (6)
- 2546 Screws, 4x15mm countersunk machine (hex drive) (6)
- 2743 Set (grub) screws, 3mm hardened (12)
- 5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
- 3642X Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
- 2754 Stub axle pins (4)
- 2746 Washers, 3x6mm metal (12)
- 3685 White plastic washers (5x8x1.0mm) (6)

**LED Lights**

- 3791 LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires #3735 front bumper for 2WD Rustler® or Bandit®)
- 3795 LED light harness, rear (requires #2477 wheelie bar mount)
- 2263 Y-harness, BEC to LED light set

**Motors & Electronics**

- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 2260 BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
- 3342 Bullet connectors, male, 3.5mm (3) / heat shrink
- 3340 Cooling fan, Velineon® VXL-3s ESC
- 3790 Gear adapter, fixed
- 2072A Gear set (for 2070, 2075 servos)
- 2252 Gear set, metal (for 2250, 2255 servos)
- 3354R Motor cover, endbell (Velineon® 3500)
- 3351R Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)

**Page 3 Rustler® VXL: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 37076-74) Parts List**

3725R	Mounting plate, electronic speed control (for installation of XL-5/VXL into Bandit or Rustler®)
3352R	Rebuild kit, Velineon® 3500 (includes plastic endbell, 5x11x4mm ball bearings (2), 2.5x5mm BCS (with threadlock) (4), rear bushing)
3347	Screws, 2.5x5mm button-head machine (hex drive) (6)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2250	Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
3350R	Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725))
3355R	VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)
3343	Wire, 12-gauge, silicone (Maxx® Cable) (650mm or 26 inches) (Black)

2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6554X	Mount, telemetry expander (fits Rustler®, Bandit, Slash 2WD)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)
6526	Sensor, auto-detectable, temperature
6527	Sensor, auto-detectable, voltage
6520	Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1)
6521	Sensor, temperature and voltage (long)
2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2250	Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
6553X	Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
6550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
6540	Telemetry trigger magnet, 5X2mm (1)
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)
6528	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)
6529	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)
6530	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)
6511	Traxxas® Link Bluetooth® module
3355R	VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)
6537	Wire retainers, gear cover/ 3x4mm BCS (2)

**Radio System, Batteries & Chargers**

2849X	4000mah 11.1v 3-Cell 25C LiPo Battery
2872X	5000mah 11.1v 3-Cell 25C LiPo Battery
2842X	5000mah 7.4v 2-Cell 25C LiPo Battery
2843X	5800mah 7.4v 2-Cell 25C LiPo Battery
2857X	6400mah 11.1v 3-Cell 25C LiPo Battery
2869X	7600mah 7.4v 2-Cell 25C LiPo Battery
2914	AA 4PK
2976	AC to DC adapter
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)
2943	Battery charge indicators, green (4), grey (4), blue (4)
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
2922X	Battery, Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V)
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
2926X	Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)
2942X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V)
2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
2941X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)
2952X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V)
2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
2951X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)
2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
2961X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
2963X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 8-C hump, 9.6V)
2983	Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))
2984	Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH iD® battery (1))
2992	Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))
2994	Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1))
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
2975	Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification
2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
6525	Communication link, telemetry expander
6512	Cover plate, Traxxas® Link Bluetooth® module
2978	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
2072A	Gear set (for 2070, 2075 servos)
2252	Gear set, metal (for 2250, 2255 servos)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)

6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
6540	Telemetry trigger magnet, 5X2mm (1)
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)
6528	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)
6529	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)
6530	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)
6511	Traxxas® Link Bluetooth® module
3355R	VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)
6537	Wire retainers, gear cover/ 3x4mm BCS (2)

**Ready-To-Race Model**

37076-74	Rustler® VXL: 1/10 Scale Stadium Truck with TQi™ Traxxas Link™ Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM)®
----------	--

**Rear Suspension**

3638	Shock tower (rear)
3752	Stub axle carriers (2) (requires 5x11x4mm bearings)
3652A	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3652G	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
3652T	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)
3652P	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3652X	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
2753X	Stub axles, rear (2)
3655P	Suspension arms, blue, front/rear (left & right), heavy duty (2)
3655R	Suspension arms, front/rear (left & right), heavy duty (2)
3655G	Suspension arms, green, front/rear (left & right), heavy duty (2)
3655X	Suspension arms, left & right
3655T	Suspension arms, orange, front/rear (left & right), heavy duty (2)
3655L	Suspension arms, red, front/rear (left & right), heavy duty (2)
3640	Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench
3741X	Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)

### Shock Oil

5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029	Shock oil bottle (60cc) (for mixing shock oil)
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
5038	Spinning carousel rack

### Shocks (Pro-level Aluminum)

2664	Big Bore shock cylinder (long) (1)
5862	Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)
2660	Big-bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
2662	Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
2667	Shock caps, aluminum (2) (Big Bore Shocks)
2362	Shock rebuild kit (for 2 shocks)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
1664	Shock shafts, steel, chrome finish (long) (2)
2656	Shock shafts, steel, chrome finish (xx-long) (2)
1765	Silicone diaphragms (4)
2668	Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
5860	Springs, front (white) (progressive rate) (2) (for Slash big bore shocks)
5859	Springs, rear (white) (progressive rate) (2) (for Slash big bore shocks)

### Shocks (Ultra Shocks)

3642	Attachment screws, shock (3x12mm shoulder screws) (6)
3765A	Body, Ultra Shock (long) (grey) (2)
3766A	Body, Ultra Shock (XXL) (grey) (2)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
3767	Shock caps (2)/ shock bottoms (2)
8361	Shock caps (black) (4) (assembled with hollow balls)
3767A	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
3767G	Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
3767T	Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks)
3767P	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
3767X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
2362	Shock rebuild kit (for 2 shocks)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
1664	Shock shafts, steel, chrome finish (long) (2)
2656	Shock shafts, steel, chrome finish (xx-long) (2)
1765	Silicone diaphragms (4)
3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
3758	Springs (front) (2)
2458P	Springs (front) (pink) (2)
2458A	Springs (front) (white) (2)
3758T	Springs, blue (front) (2)
3757T	Springs, blue (rear) (2)
2458	Springs, front (black) (2)
3758A	Springs, green (front) (2)
3757A	Springs, green (rear) (2)
3757P	Springs, pink (rear) (2)
3757	Springs, rear (black) (2)
3757R	Springs, rear (red) (2.9 rate) (2)
4957	Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)
3758R	Springs, red (front) (2)
3758X	Springs, white (front) (2)
3757X	Springs, white (rear) (2)

3760	Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
3762	Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
3760A	Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
3762A	Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

### Slipper Clutch Components

3793	Input shaft (slipper shaft) / spring pin
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554	Screws, 3x6mm caphead machine (hex drive) (6)
5556	Slipper pressure plate & hub (aluminum alloy)

### Spur Gears & Pinion Gears

9491	Gear adapter set, fixed (48-pitch)
2416	Gear, 16-T pinion (48-pitch) / set screw
1918	Gear, 18-T pinion (48-pitch) / set screw
2419	Gear, 19-T pinion (48-pitch) / set screw
2422	Gear, 22-T pinion (48-p) (fits 3mm shaft) / set screw
2423	Gear, 23-T pinion (48-pitch) (fits 3mm shaft) / set screw
2426	Gear, 26-T pinion (48-pitch) (fits 3mm shaft) / set screw
4728	Gear, 28-T pinion (48-pitch) (fits 3mm shaft) / set screw
2429	Gear, 29-T pinion (48-pitch) (fits 3mm shaft) / set screw
2431	Gear, 31-T pinion (48-pitch) (fits 3mm shaft) / set screw
4725	Gear, pinion (25-tooth) (48-pitch) / set screw
4676	Spur gear, 76-tooth (48-pitch) (for models with Torque Control slipper clutch)
4683	Spur gear, 83-tooth (48-pitch) (for models with Torque Control slipper clutch)
4686	Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)
4690	Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)

### Steering Components

2537	3mm threaded rods: 1 each of 20mm,25mm&44mm
2545	Bushings (plastic) (5x8x2.5mm) (4)
5347	Rod ends, Revo® (large) with hollow balls (12)
3744	Servo saver w/ adapters
3743	Steering bellcranks (l&r)/ draglink
3743A	Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3743G	Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3743T	Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3743P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled)
3743X	Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled)
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139G	Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139T	Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139P	Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

### Suspension Linkage

2537	3mm threaded rods: 1 each of 20mm,25mm&44mm
5525	Rod ends (12)/ hollow balls (12)
5525R	Rod ends, heavy duty (Jato®/Slayer) (8)
5347	Rod ends, Revo® (large) with hollow balls (12)
3739	Screw pin set (Rustler®/ Bandit/ Stampede®)
3744	Servo saver w/ adapters
2640	Suspension pins, 44mm (2) w/ E-clips
3640	Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)

**Page 5 Rustler® VXL: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 37076-74) Parts List**

3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)	3771R	Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, ribbed tires, foam inserts) (electric front) (2)
3738A	Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)	6774X	Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, Talon EXT tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set)	6773X	Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
3738	Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)	6768	Tires & wheels, assembled, glued (2.8") (RXT black wheels, Anaconda tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench	6775	Tires & wheels, assembled, glued (2.8") (RXT black wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	6774	Tires & wheels, assembled, glued (2.8") (RXT black wheels, Talon EXT tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
3741G	Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench	6773	Tires & wheels, assembled, glued (2.8") (RXT black wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
3139G	Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	6768G	Tires & wheels, assembled, glued (2.8") (RXT green wheels, Anaconda tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
3741T	Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench	6775G	Tires & wheels, assembled, glued (2.8") (RXT green wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
3139T	Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	6774G	Tires & wheels, assembled, glued (2.8") (RXT green wheels, Talon EXT tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
3741P	Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench	6773G	Tires & wheels, assembled, glued (2.8") (RXT green wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
3139P	Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	6768A	Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Anaconda tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
3741X	Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench	6775A	Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	6774A	Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Talon EXT tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)	6773A	Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)	6774R	Tires & wheels, assembled, glued (2.8") (RXT satin chrome wheels, Talon EXT tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)	6773R	Tires & wheels, assembled, glued (2.8") (RXT satin chrome wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
<b>Team Traxxas Items</b>			
2514	Decal sheet, racing sponsors	3771A	Tires & wheels, assembled, glued (2.8")(All-Star black chrome wheels, Ribbed tires, foam inserts) (electric front) (2)
9160X	DVD, Maxx® Power! Full Throttle Action (sleeve)	3773A	Tires & wheels, assembled, glued (All Star black chrome wheels, Anaconda® tires, foam inserts) (electric rear) (1 left, 1 right)
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)	3773	Tires & wheels, assembled, glued (All Star chrome wheels, Anaconda® tires, foam inserts) (electric rear) (1 Left, 1 Right)
9909	Traxxas® racing banner, red & black (3x7 feet)	3776A	Tires & wheels, assembled, glued (All-Star black chrome wheels, Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1 right)
<b>Tires &amp; Wheels</b>			
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	5576R	Tires & wheels, assembled, glued (All-Star chrome wheels, Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1 right)
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)	6792	Tires & wheels, assembled, glued (black 2.8" wheels, Sledgehammer® tires, foam inserts) (2) (TSM® rated)
5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)	3778	Tires & wheels, assembled, glued (black 2.8" wheels, Sledgehammer® tires, foam inserts) (electric rear) (2) (TSM® rated)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)	5569	Tires, Alias 2.8" (rear) (2)/ foam inserts (2)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)	5578	Tires, Anaconda® 2.8" (2)/ foam inserts (2)
1647	Silicone Grease	4791	Tires, Pro-Trax mini-spiked 2.2" (rear) (2)
2754	Stub axle pins (4)	5563	Tires, Ribbed 2.8" (front) (2)/ foam inserts (2)
3770A	Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Alias® tires, foam inserts) (rear) (2) (TSM® rated)	4790R	Tires, Spiked 2.2 (R(2) (Soft Compound) w/inserts
3776	Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (rear) (2) (TSM® rated)	3654	Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x12mm) (2)
3770	Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Alias® tires, foam inserts) (electric rear) (2)	1654	Wheel hubs, hex (rear) (2)/ stub axle pins (2)
3771	Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Ribbed tires, foam inserts) (front) (2)	5853X	Wheel hubs, splined, 17mm, short (2), long (2) (blue-anodized) / wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (Slash 2WD)
6768X	Tires & wheels, assembled, glued (2.8") (RXT black & chrome wheels, Anaconda tires, foam inserts) (2WD electric rear) (2) (TSM® rated)	5353	Wheel nuts, splined, 17mm (blue-anodized) (4)
6775X	Tires & wheels, assembled, glued (2.8") (RXT black & chrome wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)	5480X	Wheel wrench, splined, 17mm
3772X	Tires & wheels, assembled, glued (2.8") (RXT black & satin wheels, Alias® tires, foam inserts) (2WD electric rear) (2) (TSM® rated)	3772A	Wheels, All-Star 2.8" (black chrome) (electric rear)
3771X	Tires & wheels, assembled, glued (2.8") (RXT black & satin wheels, ribbed tires, foam inserts) (electric front) (2)	5576A	Wheels, All-Star 2.8" (black chrome) (nitro rear / electric front) (2)
3772R	Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, Alias® tires, foam inserts) (2WD electric rear) (2) (TSM® rated)	5576	Wheels, All-Star 2.8" (chrome) (nitro rear / electric front) (2)
		3772	Wheels, All-Star 2.8" (chrome) (Rustler®, Stampede® rear only)
		3672	Wheels, chrome (2.2") (rear) (2)

- 3673 **Wheels, chrome 2.2" (front) (2)**
- 3674 **Wheels, dyable nylon 2.2" (rear) (2)**
- 3675 **Wheels, dyeable nylon 2.2 (front) (2)**
- 3774 **Wheels, Jato® Twin-Spoke 2.8" (chrome) (electric rear) (2)**
- 5572 **Wheels, Jato® twin-spoke 2.8" (chrome) (rear) (2)**
- 6772 **Wheels, RXT 2.8" (black) (2)**

**Transmission Components**

- 5116 **Ball bearings, blue rubber sealed (5x11x4mm) (2)**
- 9489 **Cover, gear**
- 3792 **Cover, gear/ rubber gear cover plug/ 3x6 RM (2)**
- 9480A **Differential assembly (complete) (fits Pro Series Magnum 272R™ Transmission)**
- 9482 **Differential gasket/ x-rings (2)**
- 9481 **Differential with steel ring gear/ side cover plate/ gasket/ x-rings (2)/ 2.5x10mm BCS (4)**
- 6783 **Gear set, differential (spider gears (4)/ spider gear shaft (2))**
- 9493 **Gearbox halves, left & right/ differential cover (charcoal gray)**
- 5148 **Grease, white lithium**
- 9492 **Idler gear, 30-tooth/ idler gear shaft (steel)**
- 9494 **Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD)**
- 9483 **Output gears, differential (2)**
- 9490 **Plate, motor, 6061-T6 aluminum (blue-anodized) (3.2mm thick)**
- 9490X **Plate, motor, 6061-T6 aluminum (blue-anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2)**
- 9490T **Plate, motor, 6061-T6 aluminum (gray-anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2)**
- 9490G **Plate, motor, 6061-T6 aluminum (green-anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2)**
- 9490A **Plate, motor, 6061-T6 aluminum (orange-anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2)**
- 9490P **Plate, motor, 6061-T6 aluminum (pink-anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2)**
- 9490R **Plate, motor, 6061-T6 aluminum (red-anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2)**
- 9495 **Pro Series Magnum 272R™ Transmission, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)**
- 5552X **Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))**
- 2554 **Screws, 3x6mm caphead machine (hex drive) (6)**
- 3931 **Screws, 3x8mm flat-head machine (hex drive) (6)**
- 1647 **Silicone Grease**
- 5556 **Slipper pressure plate & hub (aluminum alloy)**
- 9464 **Wheellie bar mount (heavy duty)**

**Traxxas Tools**

- 3433X **Body reamer (aluminum handle)**
- 3433 **Body reamer (plastic handle)**
- 3436 **Cap, body reamer**
- 3432 **Scissors, curved tip**
- 3431 **Scissors, straight tip**
- 8712 **Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive**
- 8720 **Speed bit handle, large (overmolded)**
- 8721 **Speed bit handle, medium (one piece)**
- 8722 **Speed bit handle, premium (rubber overmold)**
- 8710 **Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**
- 8711 **Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
- 8719 **Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**
- 8716 **Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive**
- 8716X **Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive**
- 8715 **Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive**
- 8715X **Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
- 8714 **Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive**
- 2748R **Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)**

- 3415 **Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm, 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)**

**Turnbuckles & Threaded Rods**

- 2537 **3mm threaded rods: 1 each of 20mm,25mm&44mm**
- 5525 **Rod ends (12)/ hollow balls (12)**
- 5525R **Rod ends, heavy duty (Jato®/Slayer) (8)**
- 5347 **Rod ends, Revo® (large) with hollow balls (12)**
- 3737A **Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)**
- 3738A **Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)**
- 3737 **Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set)**
- 3738 **Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)**
- 3741A **Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench**
- 3139A **Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
- 3741G **Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench**
- 3139G **Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
- 3741T **Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench**
- 3139T **Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
- 3741P **Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench**
- 3139P **Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
- 3741X **Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench**
- 3139X **Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
- 3644 **Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)**
- 3643 **Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)**
- 3745 **Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)**

If you have questions or need technical assistance, call Traxxas at:

**1-888-TRAXXAS**

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

**TRAXXAS.COM**